

The role of Aesthetics in the Understandings of Source code

Pierre Depaz

under the direction of Alexandre Gefen (Paris-3)
and Nick Montfort (MIT)

ED120 - THALIM

last updated - 03.11.2021

Chapter 1

Introduction

This thesis is an inquiry into the formal manifestations of source code, on how particular configurations of lines of code allow for aesthetic judgments and on the purposes that such configurations serve. The implications of this inquiry will lead us to consider the different ways in which people read and the different ways in which source code can be represented, depending on what it aims at accomplishing, and on the contexts in which it operates. This study on source code involves the different groups of people which read and write it, the purposes for which they write it, the programming languages they use to write it, and the natural language they use to speak about it. Most importantly, this thesis focuses on source code as a material and linguistic manifestation of a larger digital ecosystem of software and hardware to which it belongs. Since source code is only one component of code, as we will see below, this thesis also aims at studying the reality of written code, rather than its conceptual interpretations.

Starting from pieces of source code, this thesis will aim at assessing what programmers have to say about it, and attempt to identify how one or more specific *aesthetic fields* are used to refer to it. This aim depends on two facts: first, source code is a medium for expression, both to express the programmer's intent to the computer[1] and the programmer's intent to

another programmer[2]. Second, source code is a relatively new medium, compared to, say, paint or mechanics. As such, the development and solidification of aesthetic practices—that is, of ways of doing which do not find their immediate justification in a practical accomplishment—is an ongoing research project in computer science, software development and the digital humanities. Formal judgments of source code are therefore existing and well-documented, and are related to a need for expressiveness, as we will see in chapter 2, but their formalization is still an ongoing process.

Source code thus can be written in a way makes it subject to aesthetic judgments by programmers; that is, code *has* aesthetics, but it is unclear exactly *which* aesthetics. Indeed, these aesthetic judgments as they exist today rely on different domains to assess source code, as a means to grasp the cognitive object that is software. These draw from metaphors ranging from literature, architecture, mathematics and engineering. And yet, source code, while related to all of these, isn't exactly any of the them. Like the story of the seven blind men and the elephant[3], each of these domains touch on some specific aspect of the nature of code, but none of them are sufficient to entirely provide a solid basis for the aesthetic judgments of source code. It is at the crossroads of these domains that this thesis locates its work.

The examination of source code, and of the discourses around source code will integrate both the diversity of ways in which source code can exist, and the invariant aspects which underline all diverse approaches of source code. Particularly, we will see how each groups of practitioners tend to deploy references to one particular set of metaphorical references drawing from the domains above, but also how these references overlap across groups. The point of overlap, as we will demonstrate, is that of *using a formal linguistic system to communicate the understanding of complex cognitive structures*. Through an interdisciplinary approach, we attempt to connect this formal symbol system to the broader role of aesthetics as a cognitive mechanism to deal with complexity.

The rest of this introduction will consist in establishing a more complete view of the context in which this research takes place, from computer science to digital humanities and science and technology studies. With this context at hand, we will proceed to highlight the specific problems which will be tackled regarding the current place of aesthetics in source code. After outlining our methodology and the theoretical frameworks which will be mobilized throughout this study, we will sketch out how the different chapters of this thesis will attempt at providing some responses to our research questions.

1.1 Context

1.1.1 The research territory: code

Most of our modern infrastructure depends, to a more or less dramatic extent, on software systems[4], from commercial spaces to classrooms, transport systems to cultural institutions, scientific production and entertainment products. Software regulates and automates the information stores, exchanges and creation which compose each of these domains of human activities. The complex processes are described in what is called source code, a vast and invisible set of texts. The number of lines of code involved in running these processes is hard to estimate; one can only rely on disclosures from companies, and publicly available repositories. To give an order of magnitude, all of Google's services amounted to over two billions source lines of code (SLOC)[5], while the 2005 release of the OSX operating system comprised 86 millions lines of code, and while the version 1.0 of the Linux kernel (an operating system which powers most of the internet and specialized computation) totalled over 175,000 SLOC, version 4.1 jumped to over 19.5 million lines of code in the span of twenty years[6].

Given such a large quantity of textual mass, one might wonder: who reads this code? To answer this question, we must start diving a bit deeper

into what source code really is.

Source code consists in a series of instructions, composed in a particular programming language, which is then processed by a computer in order to be executed. For instance, using the language called Python, the source code:

```
a = 4
b = 6

def compute(first, second):
    return (first * 2) + second

compute(a, b)
```

consists in telling the computer to store two numbers in what are called *variables*, then proceeds with describing the *procedure* for adding the double of the first terms to the second term, and concludes in actually executing the above procedure. Given this particular piece of source code, the computer will output the number 14 as the result of the operation $(4 * 2) + 6$. In this sense, then, source code is the requirement for software to exist: since computers are procedural machines, acting upon themselves and upon the world, they need a specification of what to do, and source code provides such a specification. In this sense, computers are the main "readership" of source code.

However, it is also a by-product of software, since it isn't no longer required once the computer has processed and stored it into a *binary* representation, a series of 0s and 1s which represent the successive states that the computer has to go through in order to perform the action that was described in the source code. *Binary code* is what most of the individuals who interact with computers deal with, in the form of packaged applications, such as a media player or a web browser. They (almost) never have to inquire about, or read, such source code. In this sense, then, source code only matters until it gets processed by a computer, through which it

realizes its intended function.

From another perspective, source code isn't just about telling computers what to do, but also a key component of a particular economy: that of software development. Software developers are the ones who write the source code and this process is first and foremost a collaborative endeavour. Software developers write code in successive steps, because they add features over time, or they fix errors that have shown up in their software, or they decide to rewrite parts of the source code based on new ideas, skills or preferences. In this case, source code is not used to communicate to the computer what it does, but it is used to communicate to other software developers what the *intent* of the software is. Source code is then the locus of human, collaborative work; it represents iterations of ideas, formalization of processes and approaches to problem-solving. As Harold Abelson puts it,

"Programs must be written for people to read, and only incidentally for machines to execute."[2].

Official definitions of source code straddle this line between the first role of source code (as instructions to a computer) and the second role of source code (as indications to a programmer). For instance, a definition within the context of the Institute of Electrical and Electronics Engineering (IEEE) considers source code *any fully executable description of a software system, which therefore includes various representations of this description, from machine code to high-level languages and graphical representations using visual programming languages*[7]. This definition focuses on the ability of code to be processed by a machine, and mentions little about its readability (i.e. processability by other humans).

On the other hand, the definition of source code provided by the Linux Information Project¹ focuses on source code as *the version of software as it is originally written (i.e. typed into a computer), by a human in plain text*

¹<https://linfo.org/sourcecode.html>

(i.e. *human-readable, alphanumeric characters*).[8]. The emphasis here is on source code as the support of human activity, as software developers need to understand the pieces of code that they are creating, or modifying. Source code thus has two kinds of readabilities: a computer one, which is geared towards the correct execution of the program, and a human one, which is geared towards the correct understanding of the program. In the lineage of this human-readability, we can point to the Free Software Foundation's equation of the free circulation and publication of source code with the free circulation of publication of ideas. Particularly, Freedom 1 (*The freedom to study how the program works, and adapt it to your needs*) and Freedom 2 (*The freedom to improve the program, and release your improvements to the public, so that the whole community benefits.*) as stated in the FSF's definition of Free Software stipulates that access to source code is required to support these freedoms, a version of source code that is *not concealed*, i.e. readable by both human and machine[9].

In addition to this ability to communicate the ideas latent in it, source code, as an always potentially collaborative object, can be the locus of multiple subjectivities coming together. As Krysa and Sedek state in their definition, *source code is where change and influence can happen, and where intentionality and style are expressed*[10]. In their understanding, source code shares some features with natural languages as an intersubjective process[11], and as such is different from the machine language representation of a program, an object which they do not consider source code due to its unilaterality. The intelligibility of source code, they continue, facilitates its circulation and duplication among programmers. It is this aspect of a socio-technical object that we consider as important as its procedural effectiveness.

In this research, we build on these definitions to propose the following:

Source code is defined as one or more text files which are written by a human or by a machine in such a way that they elicit a

meaningful response from a digital compiler or interpreter, and describe a software system. These text files are the starting point to produce an execution of the system described, whether the very first starting point, or an intermediate representation used for subsequent compilations. These files are collectively called *program texts*.

This definition takes into account a broad view of source code, including steps such as intermediate representations (transitory representations from one version of the source to another one), but also obfuscations (deliberately complicating the code to prevent human-readability while maintaining machine-readability) and minifications (reducing the amount of characters used in source code to its minimum). This will allow us to compare human-authorship of source code, machine-authorship, and hybrid modes, in which a human writes unreadable code with the help of tools. One aspect that is being more narrowly defined for the purpose of this study is the actual manifestation of code: while multiple media for source code exist, we exclude here all of those that are not written in the UTF-8 character set—i.e. textual representations. Since one of the questions of this study is to examine the literariness of source code aesthetics, other forms of source code, such as visual programming languages or biological computation, stand outside the scope of this study and should be investigated in subsequent work.

As for the term *program text*, it is chosen in order to highlight the dual nature of source code: that of a computational artefact to be formally processed and unambiguously understood[12], and that of a open-ended, multi-layered document, in the vein of Barthes' distinction between a text and a work[13].

1.1.2 Beautiful code

Under this definition of source code textually represented, we now turn to the existence of the aesthetics of such *program texts*. To contextualize this existence, we first need to touch upon the history and practice of software development. As an economic activity, software development came from a bottom-up dynamic, a *de facto* activity which was not expected in the early days of computing, where most of the work was divided between mathematics and engineering. Its earliest manifestation can be found in the physical rewiring process of mainframes in order to perform a specific computation, something more akin to firmware than to software. These rewiring tasks were done by mostly female assistants, under the direction of mostly male mathematicians[14], and consisted in a simple translation task which did not require any particular attention, or any particular skill. The recognition of software engineering as its own field came as its unique domain of expertise was required in larger engineering projects—for instance, the term *software engineering* was coined in the late 1960s by Margaret Hamilton and her team as they were working on the Apollo 11 Lunar Module software[15]. In the same decade, the first volume of *The Art of Computer Programming*, by Donald Knuth, addresses directly both the existence of programming as an activity separate from both mathematics and engineering, as well as an activity with an “artistic” dimension[16]. The first volume opens on the following paragraph:

The process of preparing programs for a digital computer is especially attractive, not only because it can be economically and scientifically rewarding, but also because it can be an aesthetic experience much like composing poetry or music. This book is the first volume of a multi-volume set of books that has been designed to train the reader in the various skills that go into a programmer’s craft.[16]

Considered one of the most canonical textbooks in the field, *The Art of Computer Programming* highlights two important aspects of programming for our purpose: that it can be an aesthetic experience and that it is the result of a craft, rather than of a highly-formalized systematic process, as we will see in chapter 1. Some of the aesthetic references related to source code are related to its writing and reading being a craft-like activity[1].

Craftsmanship is an essentially fleeting phenomenon, a practice rather than a theory, in the vein of Michel De Certeau's *tactics*, bottom-up actions informally designed and implemented by the users of a situation, product or technology as opposed to *strategies*[17], in which ways of doing are deliberately prescribed in a top-down fashion. Craft is hard to formalize, and the development of expertise in the field happens through practice as much as through formal education[18]. It is also one in which function and beauty exist in an intricate, embodied and implicit relationship, based on subjective qualitative standards rather than strictly external measurements, with the former rarely being explicitly stated[19].

Approaching programming (the activity of writing and reading code) as a craft[20] connects to the multiple testimonies of encountering beautiful code, some of which have made their ways into edited volumes or monographs[21, 22, 23]. Additionally, informal exchanges among programmers on forums, mailing lists, blog posts and code repositories² often mention beautiful code, either as a central discussion point or simply in passing. These testimonies constitute the first part of our corpus, as sources in which programmers comment on the aesthetic dimension of their practice. The second part of the corpus is composed of selected program texts, which we will examine in order to identify and formalize which aspects of the textual manifestation of software can elicit an aesthetic experience.

So the existence of something akin to art, something beautiful and pleasurable emerging from the reading and writing of source code has been

²See Annex for the list of collected corpus

acknowledged since the 1960s, in the early days of programming as a self-contained discipline. However, the formalization of an aesthetics of source code first requires a working definition of the concept of *aesthetics* as used in this study.

There is a long history of aesthetic philosophical inquiries in the Western tradition, from beauty as the imitation of nature³, moral purification⁴, cognitive perfection⁵, sensible representations with emotional repercussions⁶. The common point of these definitions is that of *sensual manifestation*, that is the set of visible forms which can enable an *aesthetic experience*, a cognitive state of pleasure relying on, amongst others, an object, a sense of unity and of discovery[24].

The definition of aesthetics that we will use in this thesis starts from this requirement of sense perception, and then builds upon it using two theoretical frameworks: Nelson Goodman's theory of symbols[25] and Gérard Genette's distinction between fiction and diction[26]. The former provides us with an analysis of formal systems in aesthetic manifestations and their role in a cognitive process, while the second offers a broadened perspective on what qualifies as textual arts, or literature.

Goodman's view on aesthetics is an essentially communicative one: we use aesthetics to carry across more or less complex concepts. This communication process happens through various symbol systems (e.g. pictorial systems, linguistic systems, musical systems, choreographic systems), the nature and organization of which can elicit an aesthetic experience. His conception of such an aesthetic experience isn't one of self-referential composition, or of purely emotional pleasure, but a cognitive one, one which belongs to the field of epistemology[25]. The symbol systems involved in the aesthetic judgment bear different kinds of relations to the worlds they refer to—such as denoting, representing, ressem-

³Plato, Republic

⁴Aristotle, Poetics; Kant, Critique of the Power of Judgment

⁵Leibniz, Ars Combinatoria

⁶Baumgarten, Aesthetics

bling, exemplifying— and their purpose is to communicate a truth about these worlds[27]. In Goodman's view, the arts and the sciences are, in the end, two sides of the same coin. They aim at providing conceptual clarity through formal, systematic means, and the arts can and should be approached with the same rigor as the sciences. In our case, programming, with its self-proclaimed craft-like status and its mathematical roots, stands equally across the arts and sciences.

His use of the term *languages* implies a broader set of linguistic systems than that of strictly verbal ones. This approach will support our initial conception of programming languages as verbal systems, but will allow us not to remain constrained by traditional literary aesthetics such as verse, rhyme or alliteration. To what extent is programming a linguistic activity is going to be one of the main inquiries of this thesis, and Goodman's extended, yet rigorous definition leaves us room to explore the semantic and syntactic dimension of source code as one of those languages of art. Programming languages as symbol systems will be explored further in Chapter 5.

With this analytical framework allowing us to analyze the matter at hand—program texts composed by a symbol system with an epistemic purpose—we turn to a more literary perspective on aesthetics. Genette's approach to literature, *the art of language*, results in the establishment of two dichotomies: fiction/diction, and constitutivity/conditionality. In his eponymous work[26], he extends previous conceptions of literature and poetics, from Aristotle to Jakobson, in order to broaden the scope of what can be considered literature, by questioning the conditions under which a text is given a literary status. As such, he establishes the existence of conditional literature alongside constitutive literature: the former gains its status of a literary text from the individual, subjective aesthetic judgment bestowed upon it, while the latter relies on pre-existing structures, themes and genres. This approach paves the way for an extending of the domain of literature[28], and a more subtle understanding of the aesthetic mani-

festation in an array of textual works.

Genette also makes the distinction between fiction, with the focus being the potentiality of a text's object, its imaginative qualities and themes, and diction, with an emphasis on the formal characteristics of the text. Since code holds two existences, one as executed, and one as written, I propose to map Genette's concept of fiction on to source code when the latter is considered as a purely functional text—i.e. what the source code ultimately does in its domain of application. Because source code always holds software as a potential within its markings, its diction, waiting to be actualized through execution, one has to imagine what this code actually does. Written source code, then, could either be judged primarily on its fiction or on its diction. Since we focus on the written form of source code, and not on the type of its purpose, an attention to diction will be the entry point of this thesis.

A first approach to source code could be *constitutive*, in Genette's terms: a given program text could be considered aesthetically pleasing because the software it generates abides by some definitions of being aesthetically pleasing⁷, or because the software itself is considered a piece of art, shown in exhibitions and sold in galleries. However, our empirical approach to source code aesthetics, by examining various program texts directly, and our inquiry into the possibility of multiple aesthetic fields co-existing within source code as a symbol system, asks us to forgo this constitutive definition of an aesthetic work as normative categories within software development. Our focus on sense perception within aesthetics starts from a conditional approach, in which programmers emit an aesthetic judgment on a program text, with an emphasis first on what the source code *is*, and only secondly on what it *does*⁸.

Diction, then, focuses on the formal characteristics of the text. The

⁷For instance, Venustas, Firmitas, Utilitas; See Fishwisck, P. (éd), *Aesthetic Computing*

⁸As we've seen with Goodman, there is nonetheless a tight connection between those to states.

point here is not to assume an autotelic mode of existence for source code, but rather to acknowledge that there is a certain difference between the content of software and the form of its source—good software can be written poorly, and poor software can be written beautifully. This thesis chooses to focus on the formal aspects of code such as not to restrict ourselves to any specific kind, or genre, of program texts, leaving open the possibility for these categories to emerge after our analysis.

So, following Genette's re-asking of the Goodman's question of *When is art?* rather than the historical *What is art?*, we can now proceed with our understanding of aesthetics as a set of physical manifestations which can be grasped by the senses, akin to "the movement of a light, the brush a fabric, the splash of a color"[29], which aim at enabling a cognitive, communicative purpose, and which are not exclusively constituted by pre-existing categories.

This overview of the theoretical frameworks of this thesis already implicitly denotes the boundaries of this study. The domain we are investigating here is one that is delimited by both medium and purpose. First, the medium limitations is that of text, in its material sense, as mentioned above in our definition of source code. Second, the purpose limitation is that of computable code, rather than computed code: we are examining latent programs, with their reality as texts and their virtuality as actions, rather than the other way around. Executed software and its set of affordances (e.g. graphical user interfaces[30], real-time interactivity[31] and process-intensive developments[32]) differ from the literary and architectural ones that software, in its written form, is claimed to exhibit. However, executable and executed software, being to sides of the same coin, might suggest causal relationships—e.g. the aesthetics of source code affecting the aesthetics of software—and such an inquiry would be best reserved for a subsequent study.

Now that we've explicitated our object of study—the formal manifestations of software under its textual form—we can turn to a review of the re-

search that has already been done on the subject, before highlighting some of the limitations. These relations between source code and aesthetics have been addressed by academic studies through different, separate dynamics.

1.1.3 Literature review

A literature review on this topic must address the dualistic nature of studies on source code, as research can be distinguished between the fields of computer science and engineering on one side, and that of the humanities on the other. This overview will provide us with a better sense of which aspects of code and aesthetics have been explored until now, and will invite us to address the remaining gaps.

We have seen that most technical literature, starting from *The Art of Computer Programming*, acknowledges the role that aesthetics have to play in the writing and reading of program texts. Along with the positions of Knuth and Dijkstra regarding the importance of paying attention to the aspects of programming practice[33] which go beyond strictly mathematical and engineering requirements, Kerninghan and Plauer publish in 1978 their *Elements of Programming Style*[34]. In it, they focus on how code snippets with a given intent could be rewritten in order to keep the same intent but gain in quality—that is, in readability and understandability. For instance, the following program:

```
if(i == 0) c = '0'  
if(i == 1) c = '1'  
if(i == 2) c = '2'  
if(i == 3) c = '3'  
if(i == 4) c = '4'  
if(i == 5) c = '5'  
if(i == 6) c = '6'  
if(i == 7) c = '7'  
if(i == 8) c = '8'  
if(i == 9) c = '9'
```


can be rewritten as:

```
if(i >= 0 && i < 10) c = '0' + i
```

which keeps the exact same functionality, but becomes much clearer. Why it becomes much clearer, though, is thought to be a given for the reader, and not explicated by the authors in terms of concepts such as cognitive surface, repleteness of a symbol system or representation of the main idea(s) at play (casting an integer to a character, rather than individually checking for each integer case). As the authors do employ terms which will form the basis of an aesthetics of software development, such as clarity, simplicity, or expressiveness, there are nonetheless no overarching principles deployed to systematize the manifestation of such principles, only examples are given.

While Kernighan and Plauer do not directly address the relationship of source code and aesthetics, this is something that Peter Molzberger undertakes five years later through an empirical, qualitative study aimed at highlighting the place aesthetics play in an expert programmer's practice[35]. Molzberger's study touches upon ideas of over-arching structure, tension between clarity and personality, and levels of expertise in aesthetic judgment. This short paper highlights multiple instances of code deemed beautiful which will be explored further in this thesis, without providing an answer as to *why* this might be the case. For instance, a conception of code as literature does not explain instances involving switch in scales and directions of reading, or a conception of code as mathematics does not explain the explicitly required need for a personal touch when writing source code[35].

In the context of formal academic research, such as the IEEE or the Association for Computing Machinery (ACM), subsequent research focuses on how to quantitatively assess a given quality of source code either through a social perspective on the process of writing[36], a semantic perspective on the lexicon being used[37, 38], an empirical study of program-

ming style in the efficiency of software teams[39, 40] or on the visual presentation of code in the comprehension process[41]. These focus on the connection of aesthetics with the performance of software development—beautiful code as being related to a good end-product. These methodologies are mostly quantitative, and do not take into account the “artistry” and “craft” component as laid out by Knuth and Molzberger, but are rather a big-data representation of Kernighan and Plauer’s approach.

The development of software engineering as a profession has led to the publication of several books of specialized literature, taking a practical approach to writing good code, rather than a scientific one. Robert C. Martin’s *Clean Code*’s audience belongs to the fields of business and professional trade, drawing on references from architecture, literature and craft in order to lay out the requirements of what he considers to be clean code. These specific mechanisms are highlighted in terms of how they will support a productive increase in the quality of software developed, as opposed as being satisfying in and of themselves. *Clean Code* was followed by a number of additional publications on the same topic and with the same approach[42, 43, 44]. Here, these provide an interesting counterpoint to academic research on quality code by relying on different traditions, such as the practical handbook, to explain why the way code is written is important.

Technical and engineering literature, then, establish the existence of and need for aesthetics, presented as formal properties which then constitute *quality code*. The methodology in these studies is either empirical, in the case of academic articles, looking at large corpora, more rarely interviewing programmers in order to draw conclusions regarding this relationship between formal properties and quality, while monographs and business literature draw on the experiences of their authors as a programmers to provide source code examples of specific principles, without extending on the rationale and coherence of these principles, let alone within a source code-specific aesthetic framework. A particularly salient example is Greg

Oram's edited volume *Beautiful Code*, in which expert programmers are invited to pick a piece of code and explain why they like it, sometimes commenting it line by line[21]. This very concrete, empirical inquiry into what makes source code beautiful does not, however, include a strong enough conclusion as to what *actually* makes code beautiful, but rather writing why they like the idea behind the code, or manifestoes such as Matz's *Code as an Essay*. As such, this monograph will be integrated in our corpus, as commentary rather than academic research. Another limitation to these studies is that they only address one specific group of programmers, and one specific type of software being written. In effect, those who write and read source code are far from being a homogeneous whole, and can be placed along distinct lines—e.g. academics, tinkerers or artists—with distinct practices and standards[45]. In none of these studies is it considered whether the conclusions established for one group would be valid for the others.

Before we move on to the perspective of the humanities, one should also note the specific field of philosophy of computer science, which inquires into the nature of computation, from ontological, epistemological and ethical points of view. These are useful both in the meta positioning they take regarding computer science as they well as how they show that issues of representation, interpretation and implementation are still unresolved in the field. Particularly, Rapaport's *Philosophy of Computer Science* provides an exhaustive literature review of the different fields which computer science is being compared to, from mathematics, engineering and art but—interestingly—few references to computer science as having any kind of relation with literature[46]. Another, more specific perspective is given by Richard P. Gabriel in his *Patterns of Software*, in which he looks at software as a similar endeavour as architecture, drawing on the works of Christopher Alexander. The focus is on its creative and relationship to patterns, a subject we will investigate more in chapter 3. Finally, Brian Cantwell-Smith's introduction to his upcoming *The Age of Significance: An Essay on the Ori-*

gins of Computation and Intentionality touches upon these similar ideas of intentionality by suggesting both that computation might be more productively studied from a humanities or artistic point of view than from a strictly scientific point of view[47]. These philosophical inquiries into computation mention aesthetics mostly on the periphery, but nonetheless challenge the notion of computation as strictly functional, and suggest additional that perspectives on the topic are needed, including that of the arts.

From a humanities perspective, recent literature taking source code as the central object of their study covers fields as diverse as literature, science and technology studies, humanities and media studies and philosophy. Each of these monographs, edited volumes, catalog articles, book chapters or PhD theses, engage with code in its multiple intricacies. Software applications, source code excerpts, programming environments and languages are included in each of these works as primary sources, are considered as text to be read, examined and interpreted.

A first look at *Aesthetic Computing*, edited by Paul A. Fishwick allows us to highlight one of the important points of this thesis: the collection of essays in this collected volume focus more often on the graphical output of the software's work from the end-user's perspective than on the textual manifestations of their source (e.g. Nake and Grabowski's essay on the interface as aesthetic event)[48]. As for most studies of aesthetics within computer science, the main focus is on Human-Computer Interaction (HCI) as the art and science of presenting visually the output and affordances of a running program. While a vast and complex field, this is not the topic of this thesis which, rather than focusing on the aesthetics of the computable and executable, is limited to the aesthetics of the computed (texts).

The following works, because of their dealing with source code as text, and due to the background of their authors in literature and comparative media studies, incorporate some aspect of literary theory and criticism, and authors such as N. Katherine Hayles, Maurice J. Black and Alan Sondheim

rely on it as their principal perspective. Black, in his PhD dissertation *The Art of Code*[49] initiates the idea of a cross between programming and literature, and hypothesizes that writing source code is an act that is closer to modernism than postmodernism, as it relies on concepts of authorship, formal linguistic systems and, to some extent, self-reference. The aim of the study is to show how code functions with its own aesthetic, one which is distinct and yet closely related to a literary aesthetic. After highlighting how the socio-political structures of computing since the 1950s have affected the constitution of the idea of a code aesthetic both in professional and amateur programmers, Black moves towards the examination of code practices as aesthetic practices. Here, Black limits himself to the presentation of coding practices insofar as they are identified and referred to as aesthetic practices, but exclusively through a social, second-hand account, rather than formal, definition of a source code aesthetic.

Black establishes programming as literature, and vice-versa, he assumes that it is possible to write about literature through the lens of source code. However, the actual analysis of source code with the help of formal literary theories is almost entirely side-stepped, mentioning only Perl poetry as an overtly literary use of code. In summary, Black provides a first study in code as a textual object and as a textual practice whose manifestations programmers care deeply about, but does not address what makes code poetry different in its writing, reading and meaning-making than natural-language poetry.

N. Katherine Hayles, in *My Mother Was A Computer: Digital Subjects and Literary Texts*[50], and particularly in the *Speech, Writing, Code: Three Worldviews* essay temporarily removes code from its immediate social and historical situations and establishes it as a cognitive tool as significant in scale as those of orality and literacy[51], and attempts to qualify this worldview both in opposition to Saussure's *parole* and Derrida's *trace*, following cybernetics and media studies thinkers such as Friedrich Kittler and Mark B. Hansen. Specifically, she introduces the idea of a Regime of Computa-

tion, which relies on the conceptual specificities of code-based expression (among which: depth, dynamism, fragmentation, etc.). Source-code specific contributions touch upon literary paradigms and cognitive effect in two ways. First, she highlights the way code recombines some traditional dialectics of literary theory, namely paradigmatic/syntagmatic, discrete/continuous, compilation/interpretation, and flat/stacked languages, acting as such as clearly different mode of expression. Second, she draws on a comparison between two main programming paradigms, object-oriented programming and procedural programming, and on the syntax of programming languages, such as C++, in order to highlight a novel relationship between the structure and the meaning of programming texts, a structure which depends on its degree of similarity with natural languages.

While Hayles provides the basis for a much deeper analysis of source code's formal literary properties, she also maintains that source code studies should keep in mind the ever-underlying materiality that this very source code relies on; and then locates this materiality in the embodiment of users and readers, along with authors such as Mark Hansen[52], Bernadette Wegenstein[53] and Pierre Lévy[20]. Beyond the brief acknowledgment that she has of the political and economical conditions of software development and their impact on electronic texts, Hayles also stops short of considering programming languages in their varieties, and the material apparatuses which support them (documentation, architectures, compilers, tutorials, conferences and communities). Building on this approach, a conception of programming languages as a material seems like a possible avenue for looking into the formal possibilities they afford.

Alan Sondheim's essay *Codework*[54], as the introduction of the American Book Review issue dedicated to this specific form, provides another aspect of poetry which integrates source code as a creole language emerging from the interplay of natural and machine languages. Yet, this specific aspect of literary work scans the surface of code rather than with its structure and therefore provides more insight in the anthropology of how humans

represent code through speech, rather than representing speech through code. This presents a somewhat postmodern view of programming languages, forcing them upon a relational, mutable conception of language as as series speech-acts, and leaving aside their structural and post-structural characteristics. Codework is essentially defined by its content and *milieu*, one which focuses on human exchanges and bypasses any involvement of machine-processing.

Another perspective on the relationship between speech and code is explored by Geoff Cox and Alex Mclean in *Speaking Code: Coding as Aesthetic and Political Expression*[55]. They establish reading, writing and executing source code as a speech-act, extending J.L. Austin's theory to a broader political application by including Arendt's approach of human activities and labor[56], from which coding is seen as the practice of producing laboring speech-acts.

They consider source code as a located, instantiated presence, understood as a politically semantic object affecting the multiple economic, social and discursive environments in which it lives. Focusing on speech particularly, this study doesn't quite address the syntactic specificities of codes, for example by looking at the use of loops, arrays, or other syntactical structures briefly touched upon by Hayles. Side-stepping the particular grammatical features of that speech, the authors nonetheless often illustrate the points they are working through, or begin developing those points, with snippets of code written by either McLean or established software artists, thus engaging with details of source code and taking a step away from the dangers of fetishizing code, or *sourcery*[3]. They include both deductive code (commenting existing source code) or inductive code (code written to act as an example to a point developed by the authors), in a show of the intertextuality of program texts and natural texts.

Away from the cultural relevance of code as developed by Cox and McLean, Florian Cramer focuses on the cultural history of writing in computation, tying our contemporary fascination with source code into an older

web of historical attempts at integrating combinatorial practices from Hebraic texts to Leibniz's universal languages[57]. It is in this space between magic and logic that Cramer locates today's experiments in source code (i.e. source code poetry, esoteric languages and codeworks), reminiscent of Simondon's definition of a technical object's essence[58]. By relocating it between magic and reality, code is no longer just arbitrary symbols, or machine instructions but also ideal execution, a set of discrete forms which relate to the totality of the world. Once formal execution is considered a cosmogonical force, it becomes synonymous with performative execution, through which it ties back to cultural practices throughout the ages, within both religious and scientific contexts.

Cramer extracts five axes along which to apprehend code-based works: totality/fragmentation, rationalization/occultation, hardware/software, syntax/semantics, artificial/natural language. While all these axes overlap each other, it is the *syntax/semantics* axis which aligns most with this research, given that these thematical axes are all variations of one another. Towards the end of the book, his development of the concept of speculative programming is also particularly fruitful as the attempt to become a figure of thought and reflection in theory and artistic practice. Cramer states:

formalisms [...] have a cultural semantics of their own, even on the most primitive and basic level. With a cultural semantics, there inevitably is an aesthetics, subjectivity and politics in computing.[57]

This points to the relationship between the formal disposition of source code within program texts and the cultural communities composed of the writers and readers of these program texts. As we've seen, code does have social components of varying natures, insofar as it operates as an expressive medium between varying subjects.

Adrian MacKenzie approaches source code, as part of a broader inquiry on the nature of software, through this social lens in *Cutting Code*:

Software and Sociality[59]. The author focuses on a relational ontology of software: it is defined in how it acts upon, and how it is being acted upon by, external structures, from intellectual property frameworks to design philosophies in software architectures; it only provides an operational definition—software is what it does. His analysis of source code poetry focuses on famous Perl poems, Jodi's artworks and Alex McLean's `forkbomb.pl`, concerned with the executability of code as its dominant feature, dismissing Perl poetry as "a relatively innocuous and inconsequential activity"[59]. While software could indeed be a "patterning of social relations"[59], these social relations also take place through linguistic combinations in program texts. This tending to the material realities of software embedded within social and cultural networks and traditions is echoed in David M. Berry's *The Philosophy of Software: Computation and Mediation in the Digital Age*. His definition of materialities, however, focuses on the technical and social processes *around* code (e.g. build processes, specifications, test suites), rather than on the processes *within* code (i.e. texts, languages). While this former definition results in what he calls a *semiotic place*[60], a location in which those processes are organized meaningfully, such a semiotic sense of space could also apply, as we will see in chapter 2, to those intrinsic properties of source code.

Focusing specifically on the category of code poetry, Camille Paloque-Berges published, a couple of years later, *Poétique des codes sur le réseau informatique*[61]. This work deploys both linguistic and cultural studies theorists such as Barthes and De Certeau in order to explain these playful acts of source code poetry, along with works of esoteric languages and net.art. While the first chapter focuses on digital literature as the result of executed code in order to develop a heuristic to approach source code, and the third and last chapter focusing on the means of distribution of these works, particularly on the development of net.art, 1337 5p43k and codeworks, the second chapter is the most relevant to our research focus. In it, Paloque-Berges provides an introduction of creative acts in source code on both

a conceptual level (drawing from Hayles and Montfort) and on a technical, syntactical level. She looks at specific programming patterns and practices (hello world, quines), technical syntax (e.g. \$, @ as Perl tokens for expressing singular or plurals) and cultural paradigms (De Certeau's tactics and strategies), as she attempts to highlight the specificities of source code for aesthetic manifestation and invites further work to be done in this dual vein of close-reading and theoretical contextualization, beyond specific, heightened instances such as Perl poetry.

Honing on a minimal excerpt, `10 PRNT CHR$(205.5+RND(1)) : GOTO 10;`[62], is a collaborative work examining the cultural intertwinings of a single line of code, through hardware, language, syntax, outputs and themes. The whole endeavour is one rigorous close-reading of source code, in a deductive fashion, working from the words on the screen and elaborating the context within which these words exist, in order to establish the cultural relevance of source code, as related to the syntax, hardware and cultural context in which these words exist. While the study itself, being a close-reading of only one work, and particularly a *one-liner*, itself a specific genre, is restricted in terms of broad aesthetic statements, it does show how it is possible to talk about code not as an abstract construct but as a concrete reality. Particularly interesting is the section dedicated to the history of the BASIC programming language, and how particular languages afford particular statements and actions better in a given historical context, a point often glossed over in other studies.

A current synthesis of these approaches, Mark C. Marino's *Critical Code Studies*[63] and the eponymous research field it belongs to focuses on close-reading of source code as a method for interpreting it as discourse. Particularly, it is organized around cases studies: each with source code, annotations and commentary. This structure furthers the empirical approach we've seen in Cox and McLean's code, starting from lines of source code in order in order to deduce cultural and social environments and intents through interpretation. This particular monograph, as is stated in

the conclusion, offers a set of possible methodologies rather than conclusions in order to engage with code as its textual manifestations: the source code, viewed from different angles, can reveal more than its functional purpose. While Marino, with a background in the humanities, focuses mostly on the literary properties of code as a textual artifact, this thesis builds here on some of his methodologies, particularly reading how the form of the code complements its process and output, and searching the code for clever re-purposing or insight. However, while Marino mentions the aesthetics of code, he does not address the systematic composition of these aesthetics—focusing primarily on *what* the code means and only secondarily on *how* the code means it.

Taking a step back, Warren Sack's *The Software Arts*[64] historicizes software development as an epistemological practice, rather than as a strictly economic trade. Connecting some of the main components of software (language, algorithm, grammar), he demonstrates how these are rooted in a liberal arts conception of knowledge and practice, particularly visible as a parallel to Diderot and D'Alembert's encyclopedic attempt at formalizing craft practices. By examining this other, humanistic, tradition in parallel with its dominantly acknowledged scientific counterpart, Sack shows the multiple facets that code and software can support. Starting from the concept of "translation" as an updated version of Manovich's "transcoding", Sack analyzes what is being translated by computing, such as analyses, rhetoric and logic, but doesn't however address the nature of the process in which these concepts are translated—algorithms as (liberal) ideas, but not as texts.

This activity of programming as craft, already acknowledged by programmers themselves, is further explored in Erik Pineiro's doctoral thesis[65]. In it, he examines the concrete, social and practical justifications for the existence of aesthetics within the software development community. Departing from specific, hand-picked examples such as those featured in Marino's study, his is more of an anthropological approach, re-

vealing what role aesthetics play in a specific community of practitioners. Outlining references to ideas such as *cleanliness*, *simplicity*, *tightness*, *robustness*, amongst others, as aesthetic ideals that programmers aspire to, he does not however summon any specific aesthetic field (whether from literature, mathematics, craft or engineering), but rather frames it in terms of *intrumental goodness*, with the aesthetics of code being an attempt to reach excellence in instrumental action. While he carefully lays out his argument by focusing on what (a certain group of) programmers actually say, instead of what they might be saying, there remains two limitations: it is not clear how source code as textual material can afford to reach such aesthetic ideals, and whether or not these aesthetic ideals apply to other groups of writers of code, such as the code poets mentioned in some of the works above.

This literature review allows us to have a better grasp of how the relationship between source code and aesthetics has been studied, both from a scientific and engineering perspective, as well as from a humanities perspective.

In the former approach, aesthetics are acknowledged as a component of reading and writing code, and assessed through practical examples, quantitative analysis and, to a lesser extent, qualitative interviews. The research focus is on the effectiveness of aesthetics in code, rather than on unearthing a systematic approach to making code beautiful, even though issues of cognitive friction and understanding, as well as ideals of cleanliness, readability, simplicity and elegance do arise. As such, they form a good starting ground of varied, empirical investigations. On a more meta-physical level, works in the field of philosophy of computer science point at the fact that the nature of computing and software are themselves evasive, straddling different lines while not aligning clearly with either science, engineering or arts—pointing out that software is indeed something different.

As for the humanities, the focus is predominantly on literary heuristics

of a restricted corpus or on socio-cultural dynamics, and the details and examples of the actual code syntax and semantics are often omitted even though the aesthetic aspects of a literary or cultural nature are being explored in source code, as a new kind of writing. There is a potential for beauty and art in source code, as made obvious by code poetry, but such a potential is not assessed through the same empirical lense as the former part of our literature review and only secondarily investigating which of intrinsic features of code can support aesthetic judgments.

Still, some recent studies, such as those by Paloque-Bergès, Montfort et. al, Cox and McLean and Marino, do engage directly with source code examples, and these constitute important landmarks for a code-specific aesthetic theory and methodology, whether it is as poetic language, speech-act, or critical commentary. Source code is taken as a unique literary device, but it remains unclear in exactly which aspects, besides its executability, it is different from both natural languages and low-level machine languages, and how this literary aspect relates to the effective, mathematical and craft-like nature of source code considered in the computer science and engineering literature.

1.2 The aesthetic specificities of source code

We can now turn to some of the gaps and questions left by this review, which can be grouped under three broad areas: dissonant aesthetic fields, lack of correspondance between empirical investigations and theoretical frameworks, and an absence of close-reading of program texts as expressive artifacts.

First, we can see that there are different aesthetic fields being summoned when assessing aesthetics in source code. By aesthetic field, I mean the set of medium-specific symbol systems which operate coherently on a stylistic level, as well as on a thematic level. The main aesthetic fields

addressed in the context of source code are those of literature, architecture as well as craft and mathematics. Each of these domains have specific ways to structure the aesthetic experience of objects within that field. For instance, literature can operate in terms of plot, consonance or poetic metaphor, while architecture will mobilize concepts of function, structure or texture. While we will reserve a more exhaustive description of each of these aesthetic fields in chapter 3, the first gap I would like to highlight here is how the multiple aesthetic fields are used to frame the aesthetics of source code, without this plurality being explicitly addressed. Depending on which study one reads, one can see code as literature, as architecture, as mathematics or as craft, and there does not seem to be a consensus as to which of these maps closest to the essence of source code, with exhaustive studies often mentioning several, if not all of the above, fields[46].

Second, we can see a disconnect between empirical and theoretical work. The former, historically more present in computer science literature, but more recently finding its way into the humanities, aims at observing the realities of source code as a textual object, one which can be mined for semantic data analysis, or as a crafted object, one which is produced by programmers under specific conditions and replicated through examples and principles, rather than systems and theorems. Conversely, the theoretical approach to code, focusing on computation as a broad phenomenon encompassing engineering breakthroughs, social consequences and disruption of traditional understandings of textuality, rarely confronts such theoretical approaches with the concrete, physical manifestations of computation as source code⁹, until recently. In consequence, there are theoretical frameworks that emerge to explain software (e.g. computation, procedurality, protocol), but no frameworks yet which tend to the aesthetics of source code. In the light of the history of aesthetic philosophy, literature studies and visual arts, defining such a precise framework seems

⁹With exceptions of the recent works cited above.

like an elusive goal, but it is rather the constellation of conflicting and complementing frameworks which allow for a better grasp of their object of study. In the case of the particular object of this study, the establishment of such framework taking into account the specifically textual dimension of source code (as opposed to, say, McLean and Cox's attention to the speech dimension) is yet to be done. Following the software development and programming literature, such a framework could productively focus on the role and purpose that aesthetics play within source code, rather than on their autotelic nature as manifestations-for-themselves.

Finally, and related to the point above, we can identify a methodological gap. Due to reasons such as access and skill, close-reading of source code from a humanities perspective has been mostly absent, until the recent emergence of fields of software studies and critical code studies. The result is that many studies engaging with source code as a literary object did not provide code snippets to illustrate the points being made. While not necessary *per se*, I argue that if one establishes an interpretative framework related to the nature and specificity of software, such a framework should be reflected in an examination of one of the main components of software—source code. The way that this gap has been productively addressed in recent years has primarily been done through an understanding of code as a part of broader socio-technical artifacts¹⁰, inscribing it within the phenomenon of computation. This focus on the context in which source code exists therefore leaves some room for similar approaches with respect to its textual qualities. Despite N. Katherine Hayles's call for medium-specificity when engaging with code[66], it seems that there hasn't yet been close-readings of a variety of program texts in order to assess them as specific aesthetic objects, in addition to their conceptual and socio-technical qualities.

Having established an overview of the state of the research on this

¹⁰For instance, see the work done in the field of platform studies[62]

topic, and having identified some gaps remaining in this scholarship, we can now clarify some of the problems resulting from those gaps with the following questions.

What does source code have to say about itself?

The relative absence of empirical examination of its source component when discussing code does not seem to be consistent with a conception of source code as a literary object. As methodologies for examining the meanings of source code have recently flourished, the techniques of *close-reading*, as focusing first and foremost on “the words on the page”[67] have been applied for extrinsic means: extract what the lines of code have to say about the world, rather than what they have to say about themselves, about their particular organization as source files, as typographic objects or as symbol systems expressing concepts about the computational entities they describe. In this sense, it is still unclear how the possible combinations of control flow statements, function calls, function definitions, datatypes, variable declaration and variable naming, among other syntactic devices, enable program texts to be expressive. While close-reading will be a useful heuristic for investigating these problems, it will also be necessary to question the unicity of source code, and take into account how it varies across writers and readers and the social groups they constitute. This problem therefore has to be modulated with respect to the social environment in which it exists—it will then be possible to highlight to what extent the aesthetics of source code vary across these groups, and to what extent they don’t.

How does source code relate to other aesthetic fields?

Multiple aesthetic fields are being mapped onto source code, allowing us to grasp such a novel object through more familiar lenses. However, the question remains of what it is about the nature of source code which can act as common ground for approaches as diverse as literature, mathe-

matics and architecture, or whether these references only touch on distinct aspects of source code. When one talks about structure in source code, do they refer to structure in an architectural sense, or in a literary sense? When one refers to *syntactic sugar* in a programming language, does this have implications in a mathematical sense? This question will involve inquiries into the relationship of syntax and structure, of formality and tacitness, of metaphor and conceptual mapping, and in understanding of how adjectives such as *clean*, *clear* and *simple* might have similar meanings across those different fields. Offering answers to these questions might allow us to move from a multi-faceted understanding of source towards a more specific one, as the meeting point for all these fields, source code might reveal deeper connections between each of those.

How do the aesthetics of source code relate to its functionality?

The final, and perhaps most important problem, concerns the status of aesthetics in source code not as an end, but as a means. A cursory investigation on the topic immediately reveals how aesthetics in source code can only be assessed only once the intended functionality of the software described has been verified. This stands in the way of a rather traditional opposition between beauty and functionality, and therefore begs further exploration. How do aesthetics support source code's functional purpose? And are aesthetics limited to supporting such purpose, or do they serve other purposes, beyond a strictly functional one? This paradox will relate to our first problem, regarding the meaning-making affordances of source code, and touch upon how the expressiveness of formal languages engage with different conceptions of use and function, therefore relating back to Goodman's concept of the languages of art, of which programming languages can be part of.

1.3 Methodology

To address such questions, we propose to proceed by looking at two kinds of texts: program texts and meta-texts. The core of our corpus will consist of the two categories, with additional texts and tools involved.

Our primary corpus is source code, taken as *program texts*. Due to the intricate relationship between source code and digital communication networks, vast amounts of source code are available online natively or have been digitized¹¹. They range from a few lines to several thousands, date between 1969 and 2021, with a majority written by authors in Northern America or Western Europe. On one side, code snippets are short, meaningful extracts usually accompanied by a natural language comment in order to illustrate a point. On the other, extensive code bases are large ensembles of source files, often written in more than one language, and embedded in a build system¹². Both can be written in a variety of programming languages, as long as these languages are composed in alphanumeric characters.

This lack of limitations on size, date or languages stems from our empirical approach. Since we intend to assess code conditionally, that is, based primarily on its own, intrinsic textual qualities, it would not follow that we should restrict to any specific genre of program text. As we carry on this study, distinctions will nonetheless arise in our corpus that align with some of the varieties amongst source—for instance, the aesthetic properties of a program text composed of one line of code might be different from those exhibited by a program text made up of thousands of lines code.

We also intend to use source code in both a deductive and an inductive manner. Through our close-reading of program texts, we will highlight some aesthetic features related to its textuality, taking existing source code

¹¹While software was circulating freely on ARPANET and early networks, the application of the intellectual property regime on software in 1974 significantly reduced the open-availability of source code.

¹²A build system is a fairly complex series of code transformations intended to generate executable code.

as concrete proof of their existence. Conversely, we will also write our own source code snippets in order to illustrate the aesthetic features discussed in natural language. This use of source code snippets is widely spread among communities of programmers in order to qualify and strengthen their points in online discussions, and we intend to follow this weaving in of machine language and natural language in order to strengthen our argumentation. This approach will therefore oscillate between theory and practice, the concrete and the abstract, as it both extracts concepts from readings of source code and illustrates concepts by writing source code.

The case of programming languages is a particular one: they do not exclusively constitute program texts (unless they are considered strictly in their implementation details as lexers, interpreters and compilers, themselves described in program texts), but are a necessary, if artificial, condition for the existence of source code. They therefore have to be taken into account when assessing the aesthetic features of program text, as integral part of the affordances of source code. Rather than focusing on their context-free grammars or abstract notations, or on their implementation details, we will focus on the syntax and semantics that they allow the programmer to use. Still, programming languages are hybrid artefacts, and their intrinsic qualities are only assessed insofar as they relate to the aesthetic manifestations of source code written in those languages.

Meta-texts on source code make up our secondary corpus. Meta-texts are written by programmers, provide additional information, context and explanation for a given extract of source code, and is a significant part of the software ecosystem. Even though they are written in natural language, this ability to write comments has been a core feature of any programming language very early on in the history of computing, linking any program text with a potential commentary, whether directly among the source code lines (*inline commentary*) or in a separate block (*external commentary*)¹³. Exam-

¹³Such a distinction isn't a strict binary, and systems of inscription exist which couple code a commentary more tightly, such as WEB or Jupyter Notebook.

ples of external commentaries include user manuals, textbooks, documentation, journal articles, forums posts, blog posts or emails. The inclusion in our corpus of those meta-texts is due to two reasons: the practical reason of the high epistemological barrier to entry when it comes to assessing source code in linguistic or hardware environments which one isn't familiar with, and the theoretical reason of including the (aesthetic) judgment of programmers as it supports our conditional, rather than constitutive, approach.

While we intend to look at source through close-reading, favoring the role and essence of each line as a meaningful, structural element, rather than that of the whole, our interpretation of meta-texts will take place via discourse analysis. Building on Dijk and Kintsch's work on discourse comprehension[68], we intend to approach these texts at a higher level, in terms of the lexical field they use, as a marker of the aesthetic field they refer to, as well as at a lower level, noting which specific syntactic aspects of the code they refer to. This focus on both the micro-level (e.g. local coherence and proposition analysis) and on the macro-level (e.g. socio-cultural context, intended aim and lexical field usage) will allow us to link specific instances of written code with the broader semantic field that they exist in. This connection between micro- and macro- relies on the hypothesis that there is something fundamentally similar between a source code construct, its meaning and use at the micro-level, and the aesthetic field to which it is attached at a macro-level, a hypothesis we will address further when investigating the role of metaphor in source code.

In the end, this process will allow us to construct a framework from empirical observations. The last part of our methodology, after having completed this analysis of program-texts and their commentaries, is to cross-reference it with texts dealing with the manifestation of aesthetics in those peripheral fields. Literary theory, centered around the works of I.A. Richards, Roland Barthes and Paul Ricoeur can shed light on the attention to form, on the interplay of syntax and semantics, of open and closed texts,

and suggest productive avenues through the context of metaphor. Architecture theory will be involved through the two main approaches mentioned by software developers: functionalism as illustrated by the credo *form follows function* and works by Vitruvius, Louis Sullivan and the Bauhaus on one side, and pattern languages as initiated by the work of Christopher Alexander on the other. The aesthetic nature of the two remaining fields, mathematics and craft, have a thinner tradition of formalized aesthetics than literature and architecture, but we nonetheless include essays and monographs from practitioners in the field addressing those issues. This additional set of texts will allow us to operate comparatively when it comes to explicating source code's aesthetics.

This study therefore aims at weaving in empirical observations, discourse analysis and external framing, in order to propose systematic approaches to source code's textuality. However, these will not unfold in a strictly linear sequence; rather, there will be a constant movement between practice and theory and between code-specific aesthetic references and broader ones: this interdisciplinary approach intends to reflect the multifaceted nature of software.

1.4 Roadmap

Our first step in this study is an empirical assessment of how programmers consider aesthetics with their practice or reading and writing it, first from a conceptual standpoint. After acknowledging and underlining the diversity of those practices, from software developers and scientists to artists and hackers, we will identify which concepts and references are being used the most when referring to beautiful code—concepts such as clarity, simplicity, cleanliness, and others. These concepts will then allow us to touch upon the field that are being referred to when considering the practice of programming: literature, architecture and mathematics as domains in them-

selves, and craft as a particular approach to these domains. Finally, we will look at how the overlap of these concepts can be found in the process of *understanding*—communicating abstract ideas through concrete manifestations.

After establishing the role of aesthetics as a means for understanding source code, we will proceed to analyze further such a relationship between understanding, source code and aesthetics. We will see that one of the main features of source code is the elusiveness of its meaning, whether effective or intended. Beautiful code is often code that can be understood clearly, which raises the following question: how can a completely explicit and formal language allow ambiguity? The answer to this question will involve an analysis of the two audiences of source code: humans and machines.

Taking a step back towards textuality, we will then assess how the different fields that are being referred to when talking about source code have touched upon these issues of understanding, from rhetoric to literature, through architecture and mathematics. Thinking in terms of surface-structure and deep-structure, we will establish a first connection between program texts and literary text through their use of metaphors. Since metaphors aren't exclusively literary devices, looking at them from a cognitive perspective will also raise issues of modes of knowledge, between explicit, implicit and tacit. The understanding of beauty in architecture, based on the two traditions mentioned above, will provide an additional perspective by providing concepts of structure, function and usability. These will echo a final inquiry into mathematical beauty, drawing a direct link between idea and implementation, theorem and proof, and providing a deeper understanding of the concept of *elegance*.

With a firmer grasp on the stakes of source code as an understandable text, we can now turn to its effective manifestations, by close-reading program texts. Working through *structure*, *syntax* and *vocabulary*, we will be able to formalize a set of textual typologies involved in producing an

aesthetic experience through source code. Particularly, we will highlight where those tokens differ across communities of practice, and where they overlap, keeping in mind the conditionality of those aesthetic judgments, and attempt to trace connections between specific textual configurations of source code with the ideals summoned by the programmers. After this deductive consideration, we will move on to apply these typologies to several larger program texts—ranging from the LaTeX codebase, the Carnivore software artwork to several code poems. These will highlight a remaining component in the concrete manifestation of source code aesthetics: the place of programming languages.

At this point, we will have established aesthetics in source code as a way to address the inherent tensions of a program text's dual audience, computers and humans. Being understandable by both humans and machines is indeed the feat of programming languages, the symbol systems on which beautiful texts depend on. As we've elicited the intricacies of aesthetic manifestations in human to machine communication, we then investigate machine to machine communication. Deconstructing programming languages as formal grammars will show that there are very different conceptions of semantics and meanings expected from the computer than those expected from a human, even though a machine's perspective on beautiful code could still be based around concepts of effectiveness, simplicity and performance. *Contra* those, human use of programming languages reaches into the extreme of *esolangs*—an investigation into those will reveal that language is effectively considered as a material, one whose base elements can be recombined into unexpected puzzling structures.

Recognizing programming languages as the bridge between the two domains of programming—the human of the machine—will allow us to clarify how the different aesthetic fields (literature, architecture, mathematics) relate to programming. We will show how programming languages provide a gradual interface between different modes of being of source code: source code as text, source code as structure and source code as theory. The

need for aesthetics arises from the tradeoffs that need to be made when these different modes of being overlap[58].

We will then turn back to our research questions to suggest some possible answers. The reorganization of the source aesthetic fields inot a linear succession of the interpretation or compilation process from high-level to low-level hints at a specifically spatial nature of program texts. Indeed, the specific aesthetics of source code are those of a constant doubling between the specificities of the human (such as natural handling of ambiguity, and intuitive understanding of the problem domain) and of the machine (such as speed of execution, and reliance on explicit formal grammars, which can also be seen as the tension between surface structure, one that is textual and readable, and deep structure, one that is made up of dynamic processes representing complex concepts, and yet devoid of any fluidity or ambiguity. It is this dynamism, both in terms of *where* and *when* code could be executed, which suggest the use of aesthetics in order to grasp more intuitively the topology and chronology, the state and behaviour of a program text.

Finally, we will relate the approaches of Goodman of art as cognitively effective symbol systems, and of Simondon's consideration of aesthetic thought as a link between technical thought and religious thought. Starting from a practical perspective on aesthetics taking from the field of craft—the thing well done—, aesthetics also highlight functionality on a cognitive level—the thing well thought. Beauty in source code seems to be dominantly what is useful and thoughtful, even when they are reflected in the distorting mirrors of hacks and esoteric languages, broadening our possible understandings of what aesthetics can do, and what functionality can be.

1.5 Implications and readership

This thesis fits within the field of software studies, and aims at clarifying what do we mean when we refer to code *code as...* Code as literature, architecture or mathematics, code as philosophy or as craft, are metaphors which can be examined productively by looking at the texts themselves, an approach that has only been deployed in relatively recent work.

This relationship between practice, function and beauty is the broad, underlying question of this study. In the vein of the cognitive approach to art and aesthetics, this study is an attempt to show how aesthetics play a communicative role, and how concrete manifestations can, through a metaphorical process, hint at broader ideas. In this sense, this study is not just about the relation of aesthetics and function, but also about the function of aesthetics. While this idea of aesthetics as a way of communicating ideas could be equally applied across artistic and non-artistic domains, another aim of this thesis is to highlight the relativity a aesthetic standards: using a similar medium, practices, uses and purposes determine as much, if not more, of the artistic worth of a given program text.

By examining the result of the practice of programmers at a close-level, this study hopes to contribute to a clarification of what exactly is programming, along with the consequences of the embedding of software in our social, economic and political practices. In order to address the question of whether algorithms are political in themselves, or if their use is political, it is important to define clearly what it is that we are talking about when discussing algorithms. A clarification of source code on a concrete level attempts to help clarify what this essential component of algorithms, and opens up potential for further work in terms of thinking no longer of the aesthetics of source code, but of its poetics, in the way source code, as a language of art, is also a way of worldmaking.

To this end, this thesis is aimed at a variety of readers and audience. From the humanities perspective, digital humanists and literary the-

orists interested in the concrete manifestations of source code as specific meaning-making techniques will be able to find the first steps of such an approach being laid out, and contrast these specific technique with the broader poetics of code studied by other scholars, or with the aesthetics of natural language texts.

Programmers and computer scientists will find an attempt at formalizing something they might have known implicitly ever since they started practicing writing and reading code, and the approach of languages as poetics and structure might help them think through these aspects in order to write perhaps more aesthetically pleasing, and thus perhaps better, code. Conversely, anyone engaged seriously in a craft activity could find here a rigorous study of what goes on into a specific craft, asking how their own practice engages with tools and modes of knowledge, and with a more explicit conception of beauty.

Finally, such a specific conception of beauty, then, will also be of interest to artists and art theorists. By investing aesthetics without a direct relation to the artwork, but rather within a functional purpose, this study suggests that one can think through beauty and artworks not as ends, but as ways to accomplish things that formal systems of explanation might not be able to achieve. An aesthetics of source code would therefore aim at highlighting the purpose of instrumental beauty within a textual environment.

Chapter 2

Aesthetic ideals in programming practices

The first step in our study of aesthetics in source code aims at identifying the aesthetic ideals that programmers ascribe to source code; that is, the qualifiers and semantic fields that they refer to when discussing program texts. To that end, we first start by clarifying whom we refer to by the term *programmers*, which reveals a multiplicity of practices and purposes, from *ad hoc*, one-line solutions, to printed code and massively-distributed codebases.

We then turn to the kinds of beauty that these programmers aspire to. After explicating our methodology of discourse analysis, we engage in a review of the various kinds of publications and writings that programmers write, read and refer to when it comes to qualifying their practice. From this will result a clust of adjectives—e.g. *clean*, *simple*, *smelly*—which we argue are used in an aesthetic sense. These will provide a useful framework to inspect, in subsequent chapters, their formal manifestations as typed-out tokens.

From these, we can then move to a description of which aesthetic fields

are being referenced by programmers on a broader level, and consider how multiple kinds of beauties, from literary, to architectural and mathematical conceptions of beauty can overlap and be referred to by the same concrete medium.

Finally, we focus our attention on one of the points of overlap in these different references: the importance of function, craft and knowledge in the disposition and representation of code. We will show how this particular way of working plays a central role in an aesthetic approach to source code and results from the specificity of code as a cognitive material, a specificity we will inquire further in the next chapter.

2.1 The practice of programmers - 20p

The history of software development is that of a specific, reserved practice which was born in the aftermath of the second world war, which trickled down to broader and broader audiences at the eve of the twenty-first century. Through this development, multiple ways of doing, approaches and applications have been involved in producing software, resulting in different communities and types of programming. Each of these focus on the description of specific instructions to the computer, but do so with specific characteristics. To this end, we take a socio-historical stance on the field of programming, highlighting how diverse practices emerge at different moments in time, and how they are connected to contemporary technical and economic organizations.

Even though such types of reading and writing source code often overlap with one another, this section will highlight a diversity of more or less loose ways in which code is being written, notably in terms of references—what do they consider good?—, purposes—what do they write for?—and examples—how does their code look like?. First, we take a look at the software industry, to identify professional *software developers*, the large code

bases they work on and the specific organizational practices within which they write it. They are responsible for the majority of source code written today, and do so in a professional and productive context, where maintainability, testability and reliability are the main concerns. Then, we turn to a parallel practice, one that is often exhibited by software developers, as they also take on the stance of *hackers*. Disambiguating the term reveals a set of practices where curiosity, cleverness, and idiosyncrasy are central, finding unexpected solutions to complex problems, sometimes within artificial constraints. Finally, we look at *scientists* and *poets*. On one end, *scientists* embody a rather academic approach, focusing on abstract concepts such as simplicity, minimalism and elegance; they are often focused on theoretical issues, such as implementation of algorithms and mathematical models, as well as programming language design. On the other end, *poets* read and write code first and foremost for its textual and semantic qualities, publishing code poems online and in print, and engaging deeply with the range of metaphors allowed by a dynamic linguistic medium such as code.

While this overview encompasses most of the programming practices, we leave aside some approaches to code, mainly because they do not directly engage with the representation of source code as a textual matter. More and more, end-user applications provide the possibility to program in more or less rudimentary ways, something referred to as the "low-code" approach[69], and thus contributing to the blurring of boundaries between programmers and non-programmers¹.

¹For instance, Microsoft's Visual Basic for Applications, Ableton's Max For Live, MIT's Scratch or McNeel's Grasshopper are all programming frameworks which are not covered within the scope of this study. In the case of VBA and similar office-based high-level programming, it is because such a practice is a highly personal and *ad hoc* one, and therefore is less available for study.

2.1.1 Software developers

From local hardware to distributed software

As Niklaus Wirth puts it, *the history of software is the history of growth in complexity*[70]. As computers' technical abilities in memory management and processing power increased year on year since the 1950s, the nature of writing instructions shifted accordingly.

In his history of the software industry, Martin Campbell-Kelly traces the development of a discipline through both an economic and a technological lens, and he identifies three consecutive waves in the production of software[71]. During the first period, as soon as the 1950s, and continuing throughout the 1960s, software developers were contractors hired to engage directly with a specific computing machine. These computing, mainframes, were large, expensive, and rigid machines, requiring hardware-specific knowledge of the Assembler instruction set specific to each one, since they didn't feature an operating system which could facilitate some of the more basic memory allocation and input/output functions, and thus interoperable program-writing². Two distinct groups of people were involved in the operationalization of such machine: electrical engineers, tasked with designing hardware, and programmers, tasked with implementing the software. While the former historically received the most attention[72], the latter was mostly composed of women and, as such, not considered essential in the process[73]. At this point, then, programming is closely tied to hardware.

The second period in software development starts in the 1960s, as hardware started to switch from vacuum tubes to transistors and from magnetic core memory to semiconductor memory, making them faster and more capable to handle complex operations. On the software side, the development of several programming languages, such as FORTRAN, LISP

²One of the first operating systems, MIT's Tape Director, would be only developed in 1956[72]

and COBOL, started to address the double issue of portability—having a program run unmodified on different machines with different instruction sets—and expressivity—allowing programmers to use high-level, English-like syntax, rather than assembler instruction codes. By then, programmers are no longer theoretically tied to a specific machine, and therefore acquire a certain autonomy, a recognition which culminates in the naming of the field of *software engineering* in 1968 at a NATO conference.

The third and final phase that Campbell-Kelly identifies is that of mass-market production: following the advent of the UNIX family of operating systems, the distribution of the C programming language, the wide availability of C compilers, and the appearance of personal computers such as the Commodore 64, Altair and Apple II, software could be effectively entirely decoupled from hardware³. And yet, software immediately enters a crisis, due to software development projects running over time and budget, being unreliable in production and unmaintainable in the long-run. What this highlighted is that the creation of software was no longer a corollary to the design of hardware, and that it would become the main focus of computing as a whole[74], and that it should therefore be addressed as such. It is at this time that discussions around best practices in writing source code started to emerge, once the activity of the programmer was no longer restricted to *tricks by means of which he contrived to squeeze the impossible into the constraints of his equipment*[75].

This need for a more formal approach to the actual process of programming found one of its most important manifestations in Edsger Dijkstra's *Notes on Structured Programming*[33]. In it, he argues for moving away from programming as a craft, and towards programming as an organized discipline, with its methodologies and systematization of program construction. Despite its laconic section titles⁴, Dijkstra nonetheless con-

³For a more detailed account of the personal computer revolution, see: Cerruzzi, P., A History of Modern Computing[74]

⁴See, for instance, Chapter 1: "*On our inability to do much*"

tributed to establish a more rigorous typology of the constructs required for reliable, provable programs—based on fundamentals such as sequence, selection, iteration and recursion—, and aimed at the formalization of the practice. Along with other developments (such as Hoare’s contribution on proper data structuring[76], or the rise of object-oriented programming) programming would solidify its foundations as a profession:

We knew how the nonprofessional programmer could write in an afternoon a three-page program that was supposed to satisfy his needs, but how would the professional programmer design a thirty-page program in such a way that he could really justify his design? What intellectual discipline would be needed? What properties could such a professional programmer demand with justification from his programming language, from the formal tool he had to work with? [77]

As a result of such interrogations comes an industry-wide search for solutions to the intractable problem of programming: that it is *a technique to manage information which in turn produces information*. To address such a conundrum, a variety of tools, formal methods and management processes enter the market; they aim at acting as a *silver bullet*[78], addressing the cascade of potential risks⁵ which emerge from large software applications. However, this growth in complexity is also accompanied by a diversification of complexity: as computers become more widely available, and as higher-level programming languages provide more flexibility in their expressive abilities, software engineering is being applied to a variety of domains, each of which might need a specific solution, rather than a generic process. Confronted with this diversity of applications, business literature on software practices flourishes⁶, acknowledging that the complexity of software should be tackled at its bottleneck: the reading and writing of source code.

⁵See <https://catless.ncl.ac.uk/Risks/> for such risks

⁶See Jackson, Principles of Program Design, or Martin, Clean Code, among others.

The most recent step in the history of software developers is the popularization of the Internet and of the World Wide Web. Even though the former had existed under as ArpaNet since 1969, the network was only standardized in 1982 and access to it was provided commercially in 1989. Built on top of the Internet, the latter popularized global information exchange, including technical resources to read and write code. Software could now be written by remote individual written on *cloud computing* platforms, shared through public repositories and deployed via containers with a lower barrier to entry than at the time of source code printed in magazines, of overnight batch processing and of non-time-sharing systems.

These software developers have written some of the largest codebases to this date, mainly because this type of activity represents the largest fraction of programmers. Due to its close ties to commercial distributors, however, source code written in this context often falls under the umbrella of proprietary software, thus made unavailable to the public. Some examples that we include in our corpus are either professional codebases that have been leaked⁷, open-source projects that have come out of business environments, such as Soundcloud's Prometheus, Google's TensorFlow or Facebook's React, or large-scale open-source projects which nonetheless adhere to structured programming guidelines, such as Donald Knuth's TeX typesetting system or the Linux Foundation's Linux kernel.

Features of the field

The features of these codebases provide us with a segway into the qualities that software developers have come to ascribe to their object of practice. First, the program texts they write are large, much larger than any other codebase included in this study, they often feature multiple programming languages and are highly structured and standardized: each file follows

⁷Such as the Microsoft Windows XP source code[79].

a pre-established convention in programming style, which favors an authoring by multiple programmers without any obvious trace to a single individual authorship. These program texts stand the closest to a programming equivalent of engineering, with its formalisms, standards and usability. From this perspective, the IEEE's Software Engineering Body of Knowledge (SWEBOK) provides a good starting point to survey the specificities of software developers as source code writers and readers[80]; the main features of which include the definition of requirements, design, construction testing and maintenance.

Software requirements are the acknowledgement of the importance of the *problem domain*, the domain to which the software takes its inputs from, and to which it applies its outputs. For instance, software written for a calculator has arithmetic as its problem domain; software written for a learning management system has students, faculty, education and courses as its problem domain; software written a banking institution has financial transactions, savings accounts, fraud prevention and credit lines as its problem domain. Requirements in software development aim at formalizing as best as possible the elements that must be used by the software in order to perform a successful computation, and an adequate formalization is a fundamental requirement for a successful software application.

Following the identification and codification of requirements, software design relates to the overall organization of the software components, considered not in their textual implementation, but in their conceptual agency. Usually represented through diagrams or modelling languages, it is concerned with *understanding how a system should be organized and designing the overall structure of that system*[81]. Of particular interest is the relationship that is established between software development and architecture. Considered a creative process rather than a strictly rational one, due to the important role of the contexts in which the software will exist (including the problem domain)[81], software architecture is considered essential from a top-down perspective, laying down an abstract blueprint

for the implementation of a system, as well as form a bottom-up one, representing how the different components of an existing system interact. This apparent contradiction, and the role of architecture in the creative aspects of software development, will be further explored in chapter 2.

Software construction relates to the actual writing of software, and how to do so in the most reliable way possible. The SWEBOK emphasizes first and foremost the need to minimize complexity⁸, in anticipation of likely changes and possible reuse by other software systems. Here, the emphasis on engineering is particularly salient: while most would refer to the creation of software as *writing* software, the IEEE document refers to it as *constructing* software⁹. Coding is only assessed as a practical consideration, one which should not take up the most attention, if the requirements, design and testing steps are satisfyingly implemented. Conversely, a whole field of business literature[82, 83, 42, 84] has focused specifically on the process of writing code, starting from the assumption that:

We will never be rid of code, because code represents the details of the requirements. At some level those details cannot be ignored or abstracted; they have to be specified. And specifying requirements in such details that a machine can execute them is *programming*. [82]

As we see, the tension identified by Dijkstra some thirty years before between craft and discipline is still alive and well at the beginning of the twenty-first century, even though the focus on code still relates to the need for reliability and maintainability in a maturing industry.

⁸Following C. Anthony Hoare's assessment in his Turing Award Lecture that "*there are two ways of constructing a software design: one way is to make it so simple that there are obviously no deficiencies, and the other way is to make it so complicated that there are no obvious deficiencies.*"

⁹The term software construction refers to the detailed creation of working software through a combination of coding, verification, unit testing, integration testing, and debugging.[80].

Software maintenance, finally, relates not to the planning or writing of software, but to its reading. Software is notoriously filled with bugs¹⁰ and can, at the same time, be easily fixed while already being in a production environment through software update releases. This means that the lifecycle of a software doesn't stop when the first version is written, but rather when it does not run anymore, and this implies that the nature of software allows for it to be edited across time and space, by other programmers which might not have access to the original group of implementers: consequently, software should be first and foremost understandable—SWEBOK lists the first feature of coding as being *techniques for creating understandable source code*[80]. This requirement ties back to one of the main problems of software, which is its notorious cognitive complexity, one that remains at any stage of its development.

Software developers are a large group of practitioners whose focus is on producing effective, reliable and sustainable software, through a variety of techniques and processes, drawing from architecture and engineering in order to foster simplicity and understandability. Before we dive deeper into those concepts in the next section, we turn to another practice closely linked to professional development—hacking.

2.1.2 Hackers - 6p

Joseph Weizenbaum's description of what seems to be computer science graduate students is one which has had wide echoes in the public imagination: hackers are often depicted as lonely, obsessed programmers, hyperfocused on the task at hand and able to switch altered mental states as they dive into computational problems¹¹. While some of it is true—for

¹⁰McConnell estimates that the industry average is about 15 - 50 errors per 1000 lines of delivered code.[84].

¹¹"Wherever computer centers have become established, that is to say, in countless places in the United States, as well as in virtually all other industrial regions of the world, bright

instance, the gender, the compulsive behaviour and the embodied connection to the machine—, hackers nonetheless designate a wider group of people, one which writes code driven by curiosity, cleverness and freedom, and which has had a significant influence in the culture of programming.

To hack, in the broadest sense, is to enthusiastically inquire about the possibilities of exploitation of technical systems¹² and, as such, predates the advent of the computer¹³. Computer hacking specifically came to prominence as early computers started to become available in north-american universities, and coalesced around the Massachussets Institute of Technology's Tech Model Railroad Club[88]. Computer hackers were skilled and highly-passionate individuals, with an autotelic inclination to computer systems: these systems mattered most when they referenced themselves, instead of interfacing with a given problem domain. Early hackers were often self-taught, learning to tinker with computers while still in high-school[89], and as such tend to exhibit a radical position towards expertise: skill and knowledge aren't derived from academic degrees or credentials, but rather from concrete ability and practical efficacy.

The histories of hacking and of software development are deeply intertwined: some of the early hackers worked on software engineering projects—such as the graduate students who wrote the Apollo Guidance Computer routines under Margaret Hamilton—, and then went on to pro-

young men of disheveled appearance, often with sunken glowing eyes, can be seen sitting at computer consoles, their arms tensed and waiting to fire their fingers, already poised to strike, at the buttons and keys on which their attention seems to be as riveted as a gambler's on the rolling dice. When not so transfixed, they often sit at tables strewn with computer printouts over which they pore like possessed students of a cabalistic text." ([85])

¹²"HACKER [originally, someone who makes furniture with an axe] n. 1. A person who enjoys learning the details of programming systems and how to stretch their capabilities, as opposed to most users who prefer to learn only the minimum necessary. 2. One who programs enthusiastically, or who enjoys programming rather than just theorizing about programming." ([86])

¹³See Rosenbaum's report in the October 1971 issue of Esquire for an account of phreaking, computer hacking's immediate predecessor[87].

foundly shape computer infrastructure. Particularly, the development of the UNIX operating system by Dennis Ritchie and Ken Thompson is a key link in connecting hacker practices and professional ones. Developed from 1969 at Bell Labs, AT&T's research division, UNIX was "very close to being the first system under which a programmer could sit down directly at a machine and compose programs on the fly, exploring possibilities and testing while composing" ([90]), and was "was brainstormed by three people and implemented by Ken Thompson in two days — on an obsolete machine that had been designed to be a graphics terminal for a 'real' computer." ([90]). This was a system which was supporting the free exploration of a system's boundaries central to the hacker culture, and which relied on sharing and circulating source code in order to allow anyone to improve it—in effect, AT&T's inexpensive licensing model until the 1980s, and the use of the C programming language starting from 1977 made it widely available within university settings¹⁴. UNIX, then, was spreading its design philosophy of clear, modular, simple and transparent design across programming communities.

The next step in the evolution of hacker culture was to build on this tenet to share source code, and hence to make written software understandable from its textual manifestation. The switch identified in the previous section from hardware being the most important component of a computing system to software had lead manufacturers to stop distributing source code, making proprietary software the norm. Until then, executable software was the consequence of running the source code through a compilation process; around the 1980s, executable software was distributed directly as a binary file, its exact contents an unreadable series of 0s and 1s. As a result to licensing changes of the UNIX system, the GNU project was created, and in its wake the Free Software Foundation, which established the ethical

¹⁴"Unix has become well entrenched in the nation's colleges and universities due to Western Electric's extensive, inexpensive licensing of the system. As a result, many of today's graduating computer scientists are familiar with it." ([91])

requirement to access the source code of any software.

In the meantime, personal microcomputers came to the market and opened up this ability to tinker and explore computer systems beyond the realms of academic-licensed large mainframes and operating systems. Starting with models such as the Altair 8800, the Apple II and the Commodore 64, as well as with easier, interpreted computer languages such as BASIC, whose first version for such micro-computers was written by Bill Gates, Paul Allen and Monte Davidoff[62]. While not considered "proper" programming by other programmers, the microcomputer revolution allowed for new groups of individuals to explore the interactivity of source code due to their small size when published as type-in listings.

In the wake of the larger free software movement, emerged its less radical counterpart, the open-source movement, as well as its more illegal counterpart, security hacking. The former are usually the types of individuals depicted in mainstream news outlets when they reference hackers: programmers indulging breaching private systems, sometimes in order to cause illegal financial, intelligence or material harm. Security hackers, sometimes called crackers, form a community of practice of their own, with ideas of superior intelligence, subversion, adventure and stealth¹⁵. These practices do refer to the original conception of hacking—getting something done quickly, but not well—and include such a practical, efficient approach into its own set of values and ideals, which are in turn represented in the kinds of program texts¹⁶.

Meanwhile, the open-source movement took the tenets of hacking cul-

¹⁵For a lyrical account of this perception of the hacker ethos, see *The Conscience of a Hacker*, published in Phrack Magazine: " This is our world now... the world of the electron and the switch, the beauty of the baud. We make use of a service already existing without paying for what could be dirt-cheap if it wasn't run by profiteering gluttons, and you call us criminals. We explore... and you call us criminals. We seek after knowledge... and you call us criminals." ([92])

¹⁶Those program texts include computer viruses, worms, trojan horses and injections, amongst others.

ture and adapted it to make it more compatible to the requirements of businesses. Open-source can indeed be seen as a compromise between the software industry development practices and the efficacy of free software development. Indeed, beyond the broad values of intellectual curiosity and skillful exploration, free software projects such as the Linux kernel, the Apache server or the OpenSSL project are highly efficient, and used in both commercial, non-commercial, critical and non-critical environments[93]. Such an approach sidesteps the political and ethical values held in previous iterations of the hacker ethos in order to focus exclusively on the sharing of source code and open collaboration while remaining within an inquisitive and productive mindframe. With the advent of corporate *hackathons*—short instances of intense collaboration in order to create new software, or new features on a software system—are a particularly salient example of this overlap between industry practices and hacker practices[94]¹⁷.

Hackers are programmers which, while overlapping with industry-embedded software developers, hold a set of values and ideals regarding the purpose and state of software. Whether academic hackers, amateurs, security hackers or open-source contributors, all are centered around the object of source code as a vehicle for communicating the knowledge held within the software, bypassing auxiliary resources such as natural-language documentation. Those political and ethical values often overlap with aesthetic values associated to how the code exists in its textual manifestation.

2.1.3 Sharp and clever

To hack is, according to the dictionary, “to cut irregularly, without skill or definite purpose; to mangle by or as if by repeated

¹⁷Along with the address of the software corporate giant Meta’s headquarters: 1, Hacker Way, Menlo Park, CA 94025, U.S.A.

strokes of a cutting instrument". I have already said that the compulsive programmer, or hacker as he calls himself, is usually a superb technician. It seems therefore that he is not "without skill" as the definition will have it. But the definition fits in the deeper sense that the hacker is "without definite purpose": he cannot set before him a clearly defined long-term goal and a plan for achieving it, for he has only technique, not knowledge. He has nothing he can analyze or synthesize; in short, he has nothing to form theories about. His skill is therefore aimless, even disembodied. It is simply not connected with anything other than the instrument on which it may be exercised. His skill is that of a monastic copyist who, though illiterate, is a first rate calligrapher.[85]

While he looks down on hackers, perhaps unfairly, from the perspective of a computer scientist whose theoretical work can be achieved only through thought, pen and paper—an approach to programming which we will address in the next section—the point still remains: hackers are first and foremost technical experts who can get lost into technics for their own sake. From a broad perspective, hackers therefore seem to exhibit an attitude of *direct engagement*, *subverted use* and *technical excellence*. Gabriella Coleman, in her anthropological study of hackers, *Coding Freedom: The Ethics and Aesthetics of Hacking*, highlights that hackers value both semantic ingenuity¹⁸ and technical wittiness, even though source code written by hackers can take multiple shapes, from one-liners, to whole operating systems, to deliberate decisions to subvert best practices in crucial moments

The *one-liner* is a piece of source code which fits on one line, and is usually interpreted immediately by the operating system. They are terse,

¹⁸Hackers themselves tend to favor puns—the free software GNU project is a recursive acronym for *GNU's Not UNIX*.

concise, and eminently functional: they accomplish one task, and one task only. This binary requirement of functionality (in the strict sense of: “does it do what it’s supposed to do, or not?”) actually finds a parallel in a different kind of one-liners, the humoristic ones in jokes and stand-up comedy. In this context, the one-liner also exhibits the features of conciseness and impact, with the setup conflated with the punch line, within the same sentence. One-liners are therefore self-contained, whole semantic statements which, through this syntactic compression, appear to be clever—in a similar way that a good joke is labelled clever.

In programming, one-liners have their roots in the philosophy of the UNIX operating system, as well as in the early diffusion of computer programs for personal computer hobbyists[62]. On the one side, the Unix philosophy is fundamentally about building simple tools, which all do one thing well, in order to manipulate text streams[90]. Each of these tools can then be piped (directing one output of a program-tool into the input of the next program-tool) in order to produce complex results—reminiscing of the orthogonality feature of programming languages. Sometimes openly acknowledged by language designers—such as those of AWK—the goal is to write short programs which shouldn’t be longer than one line. Given that constraint, a hacker’s response would then be: how short can you make it?

If writing one-line programs is within the reach of any medium-skilled programmer, writing the shortest of all programs does become a matter of skill, coupled with a compulsivity to reach the most syntactically compressed version. For instance, Guy Steele¹⁹ recalls:

This may seem like a terrible waste of my effort, but one of the most satisfying moments of my career was when I realized that I had found a way to shave one word off an 11-word program that [Bill] Gosper had written. It was at the expense of a very small

¹⁹Influential language designer, who worked on Scheme, ECMAScript and Java, among others.

amount of execution time, measured in fractions of a machine cycle, but I actually found a way to shorten his code by 1 word and it had only taken me 20 years to do it[95].

This sort of compulsive behaviour is also manifested in the practice of *code golf*, challenges in which programmers must solve problems by using the least possible amount of characters—here, the equivalent of *par* in golf would be Kolmogorov complexity²⁰. So minimizing program length in relation to the problem complexity is a definite feature of one-liners, since choosing the right programming language for the right task can lead to a drastic reduction of syntax, while keeping the same expressive and effective power. Tasked with parsing a text file to find which lines had a numerical value greater than 6, Brian Kernighan writes the following code in C²¹:

²⁰See: https://en.wikipedia.org/wiki/Kolmogorov_complexity

²¹From *Successful Language Design*, Brian Kernighan at the University of Nottingham, https://www.youtube.com/watch?v=Sg4U4r_AgJU

```

#include <stdio.h>
#include <strings.h>

int main(void){
    char line[1000], line2[1000];
    char *p;
    double mag;

    while(fgets(line, sizeof(line), stdin) != NULL) {
        strcpy(line2, line);
        p = strtok(line, "\\t");
        p = strtok(NULL, "\\t");
        p = strtok(NULL, "\\t");
        sscanf(p, "%lf", &mag);
        if(mag > 6) /* $3 > 6 */
            printf("%s", line2);
    }

    return 0
}

```

The equivalent in AWK, a language he designed, and which he actually refers to in the comment on line 15, presumably as a heuristic as he is writing the function, is:

```
awk '$3 > 6' data.txt
```

The difference is obvious, not just in terms of formal clarity and cleanliness of the surface structure, but also in terms of matching the problem domain: this obviously prints every line in which the third field is greater than 6. The AWK one-liner is more efficient, more understandable because more intuitive, and therefore more beautiful. On the other hand, however, one-liners can be so condensed that they lose all sense of clarity for someone who doesn't have a deep knowledge in the specific language in which it is written. Here is Conway's game of life implemented in one line of APL:

```
life ← {⊂1 ⊞ ⊞.⊞ 3 4 = +/ +⊞ −1 0 1 ⊞.⊞ −1 0 1 ⊞" ⊞⊞}
```

The obscurity of such a line—due to its highly-unusual character notation, and despite the pre-existing knowledge of the expected output—shows why one-liners are usually highly discouraged for any sort of code which needs to be *worked on* by other programmers. Cleverness in programming indeed tends to be seen as a display of the relationship between the programmer and the machine, rather than between different programmers, and only tangentially about the machine. On the other hand, though, the nature of one-liners makes them highly portable and shareable, infusing them with what one could call *social beauty*. Popular with early personal computer adopters, at a time during which the source code of programs were printed in hobbyist magazines and needed to be input by hand, and during which the potential of computation wasn't as widely distributed amongst society, being able to type just one line in, say, a BASIC interpreter, and resulting in unexpected graphical patterns created a sense of magic and wonder in first-time users—how can so little do so much?²².

Another example of beautiful code written by hackers is the UNIX operating system, whose inception was an informal side-project spearheaded by Ken Thompson and Dennis Ritchie in the 1970s. As the first portable operating system, UNIX's influence in modern computing was significant, e.g. in showing the viability and efficiency of text-based processing, hierarchical file-system, shell scripting and regular expressions, amongst others. UNIX is also one of the few pieces of production software which has been carefully studied and documented by other developers. One of the most famous examples is *Lions' Commentary on UNIX 6th Edition, with Source Code* by John Lions, an annotated edition of the UNIX source code, which was circulated illegally in classrooms for twenty years before its official publication was authorized by the copyright owners[96]. Coming back to the relationship between architecture and software development, Christopher Alexander asks, in the preface of Richard P. Gabriel's *Patterns of Soft-*

²²For an example fo such one-liner, see for instance: <https://www.youtube.com/watch?v=0yKwJJw6Abs>

ware[23],

For a programmer, what is a comparable goal? What is the Chartres of programming? What task is at a high enough level to inspire people writing programs, to reach for the stars?

And UNIX might be one of the answers to that question, both by its functionality, and by its conciseness, if not alone by its availability. Another program which qualifies as beautiful hacker code, due both to its technical excellence, unusual solution and open-source availability is the function to compute the inverse square root of a number, a calculation that is particularly necessary in any kind of rendering application (which heavily involves vector arithmetic). It was found in the *Quake* source code, listed here verbatim²³:

²³The Quake developers aren't the authors of that function, the merit of which goes to Greg Walsh, but are very much the authors of the comments.

```

float Q_rsqrt( float number )
{
    long i;
    float x2, y;
    const float threehalfs = 1.5F;

    x2 = number * 0.5F;
    y = number;
    i = * ( long * ) &y;    // evil floating point bit level hacking
    i = 0x5f3759df - ( i >> 1 );    // what the fuck?
    y = * ( float * ) &i;
    y = y * ( threehalfs - ( x2 * y * y ) );    // 1st iteration
    // y = y * ( threehalfs - ( x2 * y * y ) );    // 2nd iteration,
                                                // this can be removed

    return y;
}

```

What we see here is indeed a combination of the understanding of the problem domain (what's the acceptable result I need to maintain a high-framerate with complex graphics), and how the specific knowledge of computers (i.e. bit-shifting of a float cast as an integer) and the snappiness and wonder of the the comments (*what the fuck?* indeed). The use of `0x5f3759df` is what programmers call a *magic number*, a literal value whose role in the code isn't made clearer by a descriptive variable name. Usually bad practice and highly-discouraged, the magic number here is exactly that: it does makes the magic happen.

Further examples of such intimate knowledge of both the language and the machine can be found in the works of the *demoscene*. Starting in Europe in the 1980s, demos were first short audio-visual programs which were distributed along with *crackware* (pirated software), and to which the names of the people having cracked the software were prepended, in the form of a short animation[97]. Due to this very concrete constraint—there was only so much memory left on a pirated disk to fit such a demo—

programmers had to work with these limitations in order to produce the most awe-inspiring effects. Indeed, one notable feature of the demoscene is that the output should be as impressive as possible, as an immediate, phenomenological appreciation of the code which could make this happen²⁴. Indeed, the `comp.sys.ibm.pc.demos` news group states in their FAQ:

A Demo is a program that displays a sound, music, and light show, usually in 3D. Demos are very fun to watch, because they seemingly do things that aren't possible on the machine they were programmed on.

Essentially, demos "show off". They do so in usually one, two, or all three of three following methods:

- They show off the computer's hardware abilities (3D objects, multi-channel sound, etc.)
- They show off the creative abilities of the demo group (artists, musicians)
- They show off the programmer's abilities (fast 3D shaded polygons, complex motion, etc.)[?]

This showing off, however, does not happen through immediate engagement with the code from the reader's part, but rather in the thorough explanation of the minute functionalities of the demo by its writer. Because of these constraints of size, the demos are usually written in C, OpenGL, Assembly, or the native language of the targeted hardware. Source code listings of demos also make extensive use of shortcuts and tricks, and little attention is paid to whether or not other humans would directly read the source—the only intended recipient is a very specific machine (e.g. Commodore 64, Amiga VCS, etc.). The release of demos, usually in demoparties, are sometimes accompanied by documentation, write-ups or

²⁴For an example, see *Elevated*, programmed by iq, for a total program size of 4 kilobytes: <https://www.youtube.com/watch?v=jB0vBmiTr6o>

presentations²⁵. However, this presentation format acknowledges a kind of individual, artistic feat, rather than the *egoless programming* lauded by Brooks in professional software development²⁶.

Pushing the boundaries of how much can be done in how little code, here is a 256-bytes demo resulting in a minute-long music video[?] on the Commodore 64. It is firsted listed as a hexademical dump by its author:

```
0000000 0801 080d d3ff 329e 3232 0035 0000 4119
0000010 d01c dc00 0000 d011 0be0 3310 610e f590
0000020 0007 1fff 4114 24d5 2515 5315 6115 29d5
0000030 0f1b 13e6 13e6 02d0 20e6 61a9 1c85 20a7
0000040 3fe0 08f0 0c90 114e 6cd0 fffc 6da0 2284
0000050 d784 4b4a a81c 13a5 3029 02d0 1cc6 2fe0
0000060 11f0 02b0 02a2 10c9 09f0 298a aa03 f3b5
0000070 0a85 ab2d b000 b711 b622 9521 a500 4b13
0000080 aa0e f8cb cc86 0749 0b85 13a5 0f29 0fd0
0000090 b8a9 1447 0290 1485 0729 b5aa 85f7 a012
00000a0 b708 910d 880f f910 b7a8 9109 8803 f9d0
00000b0 7e4c 78ea 868e 8e02 d021 4420 a2e5 bdfd
00000c0 0802 0295 d0ca 8ef8 0315 cc4c a900 8d50
00000d0 d011 ad58 dc04 c3a0 1c0d 48d4 044b 30a0
00000e0 188c 71d0 e6cb 71cb 6acb 2005 58a0 d505
00000f0 cb91 dfd0 aa2b 6202 1800 2026 2412 1013
```

Even with knowledge of how hexadecimal instructions map to the instruction set of the specific chip of of the Commodore 64 (in this case, the SID 8580), the practical use of these instructions takes productive advantage of ambivalence and side-effects. In the words of the author, Linus Akesson (emphasis mine):

We need to tell the VIC chip to look for the video matrix at address \$0c00 and the font at \$0000. This is done by writing \$30

²⁵You can find *Elevated's* technical presentation here: <https://www.iquilezles.org/www/material/function2009/function2009.pdf>

²⁶In architecture, such technical and artistic feat for its own sake, devoid of any reliable social use, is the pavillion, or the folly.

into the bank register (\$d018). But this will be done from within the loop, as doing so allows us to use the value \$30 for two things. *An important property of this particular bank configuration is that the system stack page becomes part of the font definition.*

Demosceners therefore tend to write beautiful, deliberate code which is hardly understandable by other programmers without explanation, and yet hand-optimized for the machine. This presents a different perspective of the relationship between aesthetics and understanding, in which aesthetics do not support and enable understanding, but rather become a proof of the mastery and skill required to input such a concise input for such an overwhelming output. This shows in an extreme way that one does need a degree of expert knowledge in order to appreciate it—in this sense, aesthetics in programming are shown to be almost often dependent on pre-existing knowledge.

add examples of code bases (turns out it's not so much about the codebase, but rather as specific examples within a codebase, or a simple, specific deployment for a specific purpose)

- ad hoc, locality, implication of the hardware as a crucial, central piece of information
- technical knowledge
- "You can create art and beauty on the computer"
- unlinguistic → more material approach of "shaving off characters"
- gabriella coleman: coding freedom

2.1.4 Scientists - 4p

- PL & algo implementers
- textbooks
- data scientists

2.1.5 Poets - 4p

- history of creative coding
- digital art vs. software art
- code poets

2.2 Ideals of beauty - 15p

2.2.1 Introduction to the Methodology - 3p

Kintsch and Van Dijk

2.2.2 Lexical Field in Programmer Discourse -12p

Positive words (13p)

- clean
- simple
- elegant
- transparent/self-explanatory

Negative words (2p)

- smelly
- entangled

2.3 Types of beauty - 20p

Now that we've done some empirical work, we can try to abstract away a bit and then look into how this relates to existing frameworks of aesthetics.

Now that *we look at proofs, through discourse*, what kind of beauty can we be dealing with?

2.3.1 Functional beauty

This first approach, by comparing both source and comment at the same time (taking texts which are explicitly described as being beautiful), explicitly highlights the requirements for source code to be beautiful.

There is also an emerging development in aesthetics of integrating function as a criteria for an aesthetic experience.

2.3.2 Literary Beauty

This second approach contrasts with the functional component of the first one, but nonetheless stands in relationship with it. The creative beauty, by defying traditional beauty standards, does help us highlight, through deviance, what the norm is. These texts on "creative beauty" include the classical perl poetry, code poems, IOCC, code poetry contest, etc.

2.3.3 Mathematical beauty

Mostly elegance, could be a good place to work on the distinction between proof and theorem, concept and appearance.

2.3.4 Architectural beauty

This allows a segway into everyday aesthetics and environmental aesthetics

2.4 Craft and beauty - 10p

Now that we've seen how the aesthetic ideals of code borrow from different registers, we need to think about practice, or ways. all of the above can be seen through the prism of craft

2.4.1 Embodiment

also note the place and role of tools (IDEs, teletypes, fast compiling, etc.)

2.4.2 Tacit knowledge

Bibliography

- [1] Edsger W. Dijkstra. "Craftsman or Scientist?". In Edsger W. Dijkstra, editor, *Selected Writings on Computing: A personal Perspective*, Texts and Monographs in Computer Science, pages 104–109. Springer, New York, NY, 1982.
- [2] Harold Abelson, Gerald Jay Sussman, and Julie Sussman. *Structure and Interpretation of Computer Programs - 2nd Edition*. Justin Kelly, 1979.
- [3] Wendy Hui Kyong Chun. On "Sourcery," or Code as Fetish. *Configurations*, 16(3):299–324, 2008.
- [4] Rob Kitchin and Martin Dodge. *Code/Space: Software and Everyday Life*. The MIT Press, 2011.
- [5] @Scale. Why Google Stores Billions of Lines of Code in a Single Repository, September 2015.
- [6] Linux kernel, October 2021.
- [7] Mark Harman. Why Source Code Analysis and Manipulation Will Always be Important. In *2010 10th IEEE Working Conference on Source Code Analysis and Manipulation*, pages 7–19, September 2010.
- [8] Source code definition by The Linux Information Project.

- [9] Richard Stallman and Mass) Free Software Foundation (Cambridge. *Free software, free society : selected essays of Richard M. Stallman*. Boston, MA : Free Software Foundation, 2002.
- [10] Matthew Fuller, editor. *Software Studies: A Lexicon*. The MIT Press, Cambridge, Mass, April 2008.
- [11] V. N. Voloshinov and Michail M. Bakhtin. *Marxism and the Philosophy of Language*. Harvard University Press, 1986.
- [12] Françoise Detienne. *Software Design – Cognitive Aspect*. Springer Science & Business Media, December 2012.
- [13] Roland Barthes. *Le bruissement de la langue: essais critiques IV*. Seuil, Paris, 1984.
- [14] Wendy Hui Kyong Chun. On Software, or the Persistence of Visual Knowledge. *Grey Room*, 18:26–51, January 2005.
- [15] David A. Mindell. *Digital Apollo: Human and Machine in Spaceflight*. MIT Press, September 2011.
- [16] Donald E. Knuth. *The Art of Computer Programming, Volume 1 (3rd Ed.): Fundamental Algorithms*. Addison Wesley Longman Publishing Co., Inc., USA, 1997.
- [17] Michel de Certeau, Luce Giard, and Pierre Mayol. *L'invention du quotidien*. Gallimard, 1990.
- [18] Richard Sennett. *The Craftsman*. Yale University Press, 2009.
- [19] David Pye. *The Nature and Art of Workmanship*. Herbert Press, illustrated edition edition, July 2008.
- [20] Pierre Lévy. *De la programmation considérée comme un des beaux-arts*. Textes à l'appui. Anthropologie des sciences et des techniques. Éd. la Découverte, Paris, 1992.

- [21] Andy Oram and Greg Wilson, editors. *Beautiful Code: Leading Programmers Explain How They Think*. O'Reilly Media, Beijing ; Sebastapol, Calif, 1st edition edition, July 2007.
- [22] Vikram Chandra. *Geek Sublime: The Beauty of Code, the Code of Beauty*. Graywolf Press, September 2014.
- [23] Richard P. Gabriel. *Patterns of Software: Tales from the Software Community*. Oxford University Press, 1998.
- [24] Monroe C. Beardsley. The Aesthetic Point of View*. *Metaphilosophy*, 1(1):39–58, 1970.
- [25] Nelson Goodman. *Languages of Art*. Hackett Publishing Company, Inc., Indianapolis, Ind., 2nd edition edition, June 1976.
- [26] Gérard Genette. *Fiction & Diction*. Cornell University Press, 1993.
- [27] Nelson Goodman. *Ways Of Worldmaking*. 1978.
- [28] Alexandre Gefen and Claude Pierre Perez. Extension du domaine de la littérature Extension du domaine de la littérature. *Elfe XX-XXI Études de la littérature française des XXe et XXIe siècles*, September 2019.
- [29] Jacques Ranciere. *Aisthesis: Scenes from the Aesthetic Regime of Art*. Verso, London ; New York, 1st edition edition, June 2013.
- [30] David Hillel Gelernter. *Machine beauty : elegance and the heart of technology*. New York : Basic Books, 1998.
- [31] Brenda Laurel. *Computers as Theatre*. Addison-Wesley, 1993.
- [32] Janet H. Murray. *Hamlet on the Holodeck: The Future of Narrative in Cyberspace*. MIT Press, Cambridge, MA, USA, July 1998.
- [33] Edsger W. Dijkstra. Chapter I: Notes on structured programming. In *Structured programming*, pages 1–82. Academic Press Ltd., 1972.

- [34] Brian W. Kernighan and P. J. Plauger. *The Elements of Programming Style, 2nd Edition*. McGraw-Hill, New York, 2nd edition edition, January 1978.
- [35] Peter Molzberger. Aesthetics and programming. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems, CHI '83*, pages 247–250, New York, NY, USA, December 1983. Association for Computing Machinery.
- [36] Brandon Norick, Justin Krohn, Eben Howard, Ben Welna, and Clemente Izurieta. Effects of the number of developers on code quality in open source software: a case study. In *Proceedings of the 2010 ACM-IEEE International Symposium on Empirical Software Engineering and Measurement, ESEM '10*, page 1, New York, NY, USA, September 2010. Association for Computing Machinery.
- [37] Sarah Fakhoury, Devjeet Roy, Sk. Adnan Hassan, and Venera Arnaudova. Improving source code readability: theory and practice. In *Proceedings of the 27th International Conference on Program Comprehension, ICPC '19*, pages 2–12, Montreal, Quebec, Canada, May 2019. IEEE Press.
- [38] Latifa Guerrouj. Normalizing source code vocabulary to support program comprehension and software quality. In *Proceedings of the 2013 International Conference on Software Engineering, ICSE '13*, pages 1385–1388, San Francisco, CA, USA, May 2013. IEEE Press.
- [39] David Reed. Sometimes style really does matter. *Journal of Computing Sciences in Colleges*, 25(5):180–187, May 2010.
- [40] Ron Coleman. Aesthetics Versus Readability of Source Code. *International Journal of Advanced Computer Science and Applications*, 9(9), 2018.

- [41] Aaron Marcus and Ronald Baecker. On The Graphic Design of Program Text. May 1982.
- [42] Martin Fowler, Kent Beck, John Brant, William Opdyke, Don Roberts, and Erich Gamma. *Refactoring: Improving the Design of Existing Code*. Addison-Wesley Professional, Reading, MA, 1st edition edition, July 1999.
- [43] Inke Arns. Code as performative speech act. *Artnodes*, 0(4), May 2005.
- [44] Andrew Hunt and David Thomas. *The Pragmatic Programmer: From Journeyman to Master*. Addison-Wesley Professional, Reading, Mass, 1st edition edition, October 1999.
- [45] Brian Hayes. *Cultures of Code*. February 2017.
- [46] William J. Rapaport. Philosophy of Computer Science: An Introductory Course. *Teaching Philosophy*, 28(4):319–341, 2005.
- [47] Brian Cantwell Smith. *On the Origin of Objects*. A Bradford Book, Cambridge, Mass., reprint edition edition, January 1998.
- [48] Paul Fishwick. Aesthetic Programming. February 2001.
- [49] Maurice Joseph Black. The art of code. *Dissertations available from ProQuest*, pages 1–228, January 2002.
- [50] N. Katherine Hayles. *My Mother Was a Computer: Digital Subjects and Literary Texts*. University of Chicago Press, March 2010.
- [51] Walter J. Ong. *Orality and Literacy: 30th Anniversary Edition*. Routledge, London, 3 edition, September 2012.
- [52] Mark B. N. Hansen. *Bodies in Code: Interfaces with Digital Media*. Routledge, New York, September 2006.

- [53] Bernadette Wegenstein. Bodies. In *Critical Terms for Media Studies*. University of Chicago Press, March 2010.
- [54] Alan Sondheim. Introduction: Codework. *American Book Review*, 22(6), October 2001.
- [55] Geoff Cox and Christopher Alex McLean. *Speaking Code: Coding as Aesthetic and Political Expression*. MIT Press, 2013.
- [56] Hannah Arendt. *The human condition*. University of Chicago Press, Chicago, 2nd ed. / introduction by margaret canovan. edition, 1998.
- [57] Florian Cramer. *Words Made Flesh*. Piet Zwart Institute, 2003.
- [58] Gilbert Simondon. *Du mode d'existence des objets techniques*. PhD Thesis, Aubier et Montaigne, Paris, 1958.
- [59] Adrian Mackenzie. *Cutting Code: Software and Sociality*. Peter Lang, 2006.
- [60] David M. Berry. *The Philosophy of Software: Code and Mediation in the Digital Age*. Palgrave-Macmillan, 2011.
- [61] Camille Paloque-Bergès. *Poétique des codes sur le réseau informatique*. Archives contemporaines, 2009.
- [62] Nick Montfort, Patsy Baudoin, John Bell, Ian Bogost, and Jeremy Douglass. *10 PRINT CHR\$(205.5+RND(1)); : GOTO 10*. The MIT Press, illustrated edition edition, August 2014.
- [63] Mark C. Marino. *Critical Code Studies*. Software Studies. MIT Press, Cambridge, MA, USA, March 2020.
- [64] Warren Sack. *The Software Arts*. The MIT Press, April 2019.
- [65] Erik Pineiro. *The aesthetics of code : on excellence in instrumental action*. PhD Thesis, KTH, Superseded Departments, Industrial Economics and Management., 2003.

- [66] N. Katherine Hayles. Print Is Flat, Code Is Deep: The Importance of Media-Specific Analysis. *Poetics Today*, 25(1):67–90, March 2004.
- [67] I. A. Richards. *Practical Criticism*. Kegan Paul Trench Trubner And Company Limited., 1930.
- [68] T. A. Dijk and W. Kintsch. Strategies of discourse comprehension. 1983.
- [69] O'Reilly Editorial Team. *Low-Code and the Democratization of Programming*. O'Reilly Media, November 2021.
- [70] N. Wirth. A Brief History of Software Engineering. *IEEE Annals of the History of Computing*, 2008.
- [71] Martin Campbell-Kelly. *From airline reservations to Sonic the Hedgehog: a history of the software industry*. Cambridge, Mass.: MIT Press, 2003.
- [72] Douglas Ross. A personal view of the personal work station: some firsts in the Fifties. In *Proceedings of the ACM Conference on The history of personal workstations, HPW '86*, pages 19–48, New York, NY, USA, January 1986. Association for Computing Machinery.
- [73] Jennifer S. Light. When Computers Were Women. *Technology and Culture*, 40(3):455–483, 1999.
- [74] Paul E. Ceruzzi. *A History of Modern Computing*. History of Computing. MIT Press, Cambridge, MA, USA, 2 edition, April 2003.
- [75] Edsger W. Dijkstra. The humble programmer. In *ACM Turing award lectures*, page 1972. Association for Computing Machinery, New York, NY, USA, January 2007.
- [76] C. A. R. Hoare. Chapter II: Notes on data structuring. In *Structured programming*, pages 83–174. Academic Press Ltd., GBR, January 1972.

- [77] Dijkstra, E.W., Morlet, E., Ribbens, D., Mathematics and Computer Science, and Research 1957-1990. Programming : from craft to scientific discipline. In *Proceedings 5th International Computing Symposium (Liège, Belgium, April 4-7, 1977)*, pages 23–30. North-Holland Publishing Company, 1977.
- [78] Frederick Phillips Brooks and Frederick P. Brooks Jr. *The Mythical Man-month: Essays on Software Engineering*. Addison-Wesley Publishing Company, 1975.
- [79] Tom Warren. Windows XP source code leaks online, September 2020. Publication Title: The Verge.
- [80] Pierre Bourque and Richard E. Fairley, editors. *SWEBOK: Guide to the Software Engineering Body of Knowledge*. IEEE Computer Society, Los Alamitos, CA, version 3.0 edition, 2014.
- [81] Ian Sommerville. *Software Engineering*. Pearson, Boston, 9th edition edition, March 2010.
- [82] Robert C. Martin. *Clean Code: A Handbook of Agile Software Craftsmanship*. Pearson Education, August 2008.
- [83] Mike Hendrickson and Pete McBreen. *Software Craftsmanship: The New Imperative*. Addison-Wesley Professional, 2002.
- [84] Steve McConnell. *Code Complete: A Practical Handbook of Software Construction, Second Edition*. Microsoft Press, Redmond, Wash, 2nd edition edition, July 2004.
- [85] Joseph Weizenbaum. *Computer Power and Human Reason: From Judgment to Calculation*. W H Freeman & Co, San Francisco, 1st edition edition, March 1976.
- [86] Paul Dourish. The Original Hacker's Dictionary.
- [87] Ron Rosenbaum. Secrets of the Little Blue Box, December 2004.

- [88] Steven Levy. *Hackers: Heroes of the Computer Revolution - 25th Anniversary Edition*. "O'Reilly Media, Inc.", May 2010.
- [89] Susan M. Lammers. *Programmers at work : interviews*. Redmond, Wash. : Microsoft Press ; [New York] : Distributed in the U.S. by Harper and Row, 1986.
- [90] Eric Raymond. *The Art of UNIX Programming*. Addison-Wesley, Boston, 1st edition edition, September 2003.
- [91] Chris Morgan. Of IBM, Operating Systems and Rosetta Stones. *Byte Magazine Volume 07 Number 01 - The IBM Personal Computer*, January 1982.
- [92] +++The Mentor+++. *\The Conscience of a Hacker*, January 1986.
- [93] Eric S. Raymond. *The Cathedral & the Bazaar: Musings on Linux and Open Source by an Accidental Revolutionary*. "O'Reilly Media, Inc.", 2001.
- [94] Alexander Nolte, Ei Pa Pa Pe-Tham, Anna Filippova, Christian Bird, Steve Scallen, and James D. Herbsleb. You Hacked and Now What? - Exploring Outcomes of a Corporate Hackathon. *Proceedings of the ACM on Human-Computer Interaction*, 2(CSCW):129:1–129:23, November 2018.
- [95] Peter Seibel. *Coders at Work: Reflections on the Craft of Programming*. Apress, September 2009.
- [96] John Lions. *Lions' Commentary on UNIX 6th Edition with Source Code*. Peer-to-Peer Communications, 1996.
- [97] Markku Reunanen. *Computer Demos - What Makes Them Tick?; Tietokonedemot - mikä saa ne hyrräämään?* G3 Lisensiaatintyö, Aalto-yliopisto; Aalto University, 2010.